

Code: 5340

Version: 1 Date of issue: 19/01/2023 Date of printing: 19/01/2023



# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

## 1.1 PRODUCT IDENTIFIER:

RHONAPLAST CEMENTO COLA

Code: 5340 (CAS: 471-34-1 EC: 207-439-9) UFI: KKY2-KA0N-K7N3-9MTT

REACH REGISTER: Register name:

Calcium carbonate
Register number:
01-2119486795-18

1.2 RELEVANT IDENTIFIED USES OF THE SUBSTANCE OR MIXTURE AND USES ADVISED AGAINST:

Intended uses (main technical functions): [X] Industrial [X] Professional [X] Consumers

Cement.

Sectors of use (use as such or as a ingredient in mixtures):

Consumer uses (SU21), Professional uses (SU22), Types of PCN use:

Cement.

**Uses advised against:** 

This product is not recommended for any use or sector of use (industrial, professional or consumer) other than those previously listed as "Intended or identified uses".

Restrictions on manufacture, placing on market and use, according to Annex XVII of Regulation (EC) No. 1907/2006:

Not restricted.

### 1.3 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET:

PINTURAS ISAVAL, S.L.

c/Velluters, Parcela 2-14- P.I. Casanova - 46394 Ribarroja del Turia (Valencia) ESPAÑA

Phone number: +34 96 1640001 - Fax: +34 96 1640002 - www.isaval.es - E-mail address of the person responsible for the Safety Data Sheet:

atencionalcliente@isaval.es

## 1.4 EMERGENCY TELEPHONE NUMBER:

+34 96 1640001 8:00-18:00 h

# SECTION 2 : HAZARDS IDENTIFICATION

### 2.1 CLASSIFICATION OF THE SUBSTANCE OR MIXTURE:

Classification in accordance with Regulation (EU) No. 1272/2008~2021/849 (CLP):

WARNING:Skin Irrit. 2:H315|Eye Irrit. 2:H319|Skin Sens. 1:H317|STOT SE (irrit.) 3:H335

Danger class		Classification of the substance	Cat.	Routes of exposure	Target organs	Effects
Physicochemical: Not classified						
Human health:	~	Eye Irrit. 2:H319 Skin Sens. 1:H317	Cat.2 Cat.2 Cat.1 Cat.3	Skin Eyes Skin Inhalation		Irritation Irritation Allergy Irritation
Environment: Not classified						

Full text of hazard statements mentioned is indicated in section 16.

## 2.2 LABEL ELEMENTS:



This product is labelled with the signal word WARNING in accordance with Regulation (EU) No. 1272/2008~2021/849 (CLP)

### - Hazard statements:

H319 Causes serious eye irritation.H335 May cause respiratory irritation.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

# - Precautionary statements:

P362+P364 Take off contaminated clothing and wash it before reuse.

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P337+P313 If eye irritation persists: Get medical advice/attention.

P280 Wear protective gloves, clothing and eye protection. In case of inadequate ventilation wear respiratory protection.

P303+P361+P353
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. Wash with

P352-P312 plenty of water and soap.. Call a POISON CENTER or doctor if you feel unwell.

P304+P340-P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor if

you feel unwell.



Code: 5340



Version: 1 Date of issue: 19/01/2023 Date of printing: 19/01/2023

P305+P351+P338-IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

P310 Continue rinsing. Immediately call a POISON CENTER or doctor.

P501 Dispose of contents/container to hazardous or special waste collection point.

- Supplementary statements:

None

- Substances that contribute to classification:

Cement portland EC No. 266-043-4

2.3 **OTHER HAZARDS:** 

Hazards which do not result in classification but which may contribute to the overall hazards of the substance:

Other physicochemical hazards:

No other relevant adverse effects are known.

- Other adverse human health effects:

No other relevant adverse effects are known.

- Other negative environmental effects:

Do not fulfil the PBT/vPvB criteria.

**Endocrine disrupting properties:** 

This product does not contain substances with endocrine disrupting properties identified or under evaluation.

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### SUBSTANCES: 3.1

This product is a substance.

**Chemical description:** 

Calcium carbonate

CaCO3

# **INGREDIENTS**

40 < C < 50 %

Cement portland

CAS: 65997-15-1, EC: 266-043-4, REACH: Exempt (annex IV)

Autoclassified

Notified

CLP: Warning: Skin Irrit. 2:H315 | Eye Irrit. 2:H319 | Skin Sens. 1:H317 |

STOT SE (irrit.) 3:H335

# Impurities:

The marketed product is poor in chromate itself or by reducing its content of Cr(VI) soluble in water. Content of soluble Cr(VI) < 2 mg/kg (0,0002%) with respect to total weight of dry cement.

Stabilizers:

None.

Reference to other sections:

For more information on hazardous ingredients, see sections 8, 11, 12 and 16.

SUBSTANCES OF VERY HIGH CONCERN (SVHC):

List updated by ECHA on 10/06/2022.

Substances SVHC subject to authorisation, included in Annex XIV of Regulation (EC) no. 1907/2006:

None.

Substances SVHC candidate to be included in Annex XIV of Regulation (EC) no. 1907/2006:

None.

Persistent, bioaccumulable and toxic PBT, or very persistent and very bioaccumulable vPvB substances:

Do not fulfil the PBT/vPvB criteria.

3.2 MIXTURES:

Not applicable (substance)



Code: 5340

Version: 1 Date of issue: 19/01/2023 Date of printing: 19/01/2023

### SECTION 4: FIRST AID MEASURES

## **DESCRIPTION OF FIRST AID MEASURES:**



Symptoms may occur after exposure, so that in case of direct exposure to the product, when in doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person. Lifeguards should pay attention to self-protection and use the recommended protective equipment if there is a possibility of exposure. Wear protective gloves when administering first aid.

Route of exposure		Symptoms and effects, acute and delayed	Description of first-aid measures
Inhalation:	<u>(1)</u>	Inhalation produces coughing and breathlessness.	Should there be any symptoms, transfer the person affected to the open air.
Skin:	<b>(!</b> >	Skin contact causes redness.	Wash with water and soap.
Eyes:	<b>(1)</b>	Contact with the eyes may produce slight redness.	Rinse eyes copiously by irrigation with plenty of clean, fresh water for at least 15 minutes, holding the eyelids apart, until the irritation is reduced.
Ingestion:		lf swallowed in high doses, may cause gastrointestinal disturbances.	Emergency care not required. Drink large quantities of water.

#### MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED: 4.2

The main symptoms and effects are indicated in sections 4.1 and 11.1

INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED: 4.3

Notes to physician:

Specific treatment is necessary in case of exposition with this product: the appropriate means with instructions must be available.

Antidotes and contraindications:

Not available

### SECTION 5: FIREFIGHTING MEASURES

#### **EXTINGUISHING MEDIA:**) 5.1

### Extinguishing powder or CO2

#### SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE: 5.2

As consequence of combustion or thermal decomposition, hazardous products may be produced: Carbon dioxide.

#### **ADVICE FOR FIREFIGHTERS:** 5.3

# Special protective equipment:

Depending on magnitude of fire, heat-proof protective clothing may be required, appropriate independent breathing apparatus, gloves, protective glasses or face masks and boots. If the fire-proof protective equipment is not available or is not being used, combat fire from a sheltered position or from a safe distance. The standard EN469 provides a basic level of protection for chemical incidents.

### Other recommendations:

Cool with water the tanks, cisterns or containers close to sources of heat or fire. Bear in mind the direction of the wind. Do not allow firefighting residue to enter drains, sewers or water courses.

According to current legislation.

SPECIFIC END USE(S):

7.3

- Limit quantity (Seveso III): Directive 2012/18/EU: Not applicable (the classification criteria are not met).



# RHONAPLAST\_CEMENTO COLA

Code: 5340

Version: 1 Date of issue: 19/01/2023 Date of printing: 19/01/2023



SECTIO	N 6: ACCIDENTAL RELEASE MEASURES
6.1	PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES:
	Avoid breathing dust.
6.2	ENVIRONMENTAL PRECAUTIONS:
	Avoid contamination of drains, surface or subterranean water and soil. In the case of large scale spills or when the product contaminates lakes, rivers or sewages, inform the appropriate authorities in accordance with local regulations.
6.3	METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP:
	Sweep spilt product. Transfer to a suitable container for recovery or elimination.
6.4	REFERENCE TO OTHER SECTIONS:
	For contact information in case of emergency, see section 1.
	For information on safe handling, see section 7.
	For exposure controls and personal protection measures, see section 8. For waste disposal, follow the recommendations in section 13.
SECTION	N 7: HANDLING AND STORAGE
7.1	PRECAUTIONS FOR SAFE HANDLING:
	Comply with the existing legislation on health and safety at work.
	- General recommendations:
	Avoid any type of leakage or escape.Keep the container tightly closed.  - Recommendations for the prevention of fire and explosion risks:
	The product is not liable to ignite, deflagrate or explode, and does not sustain the combustion reaction by oxygen from air in the
	environment in which it is, so it is not included in the scope of Directive 2014/34/EU concerning equipment and protective systems intended
	for use in potentially explosive atmospheres.
	- Recommendations for the prevention of toxicological risks:
	Do not eat, drink or smoke while handling. After handling, wash hands with soap and water. For exposure controls and personal protection measures, see section 8.
	- Recommendations for the prevention of environmental contamination:
	It is not considered a danger to the environment. In the case of accidental spillage, follow the instructions indicated in section 6.
7.2	CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES:
	Forbid the entry to unauthorized persons. Keep out of reach of children. Avoid extreme humidity conditions. In order to avoid leakages, the containers, after use, should be closed carefully and placed in a vertical position. For more information, see section 10.
	- Class of store:
	According to current legislation.
	- Maximum storage period:
	12 Months.
	- Temperature interval:
	min:5 °C, max:40 °C (recommended).
	- Incompatible materials:
	Keep away from acids.
	- Type of packaging:

For the use of this product particular recommendations apart from that already indicated are not available.



Code: 5340

Version: 1 Date of issue: 19/01/2023 Date of printing: 19/01/2023



## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 CONTROL PARAMETERS:

If a product contains ingredients with exposure limits, may be necessary a personnel monitoring, work place or biological, to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to EN689, EN14042 and EN482 standard concerning methods for assessing the exposure by inhalation to chemical agents, and exposure to chemical and biological agents. Reference should be also made to national guidance documents for methods for the determination of dangerous substances.

### - OCCUPATIONAL EXPOSURE LIMIT VALUES (WEL)

EH40/2005 WELs (United	Year	WEL-TWA		WEL-STEL		Remarks
Kingdom) 2018		ppm	mg/m3	ppm	mg/m3	
Cement portland	2010	-	1	-	-	A4, Breathable fraction

WEL - Workplace Exposure Limit, TWA - Time Weighted Average (8 hours), STEL - Short Term Exposure Limit (15 min). A4 - Non classified as carcinogenic in humans.

## - BIOLOGICAL LIMIT VALUES:

Not established

### - DERIVED NO-EFFECT LEVEL (DNEL):

Derived no-effect level (DNEL) is a level of exposure that is considered safe, derived from toxicity data according to specific guidances included in REACH. DNEL values may differ from a occupational exposure limit (OEL) for the same chemical. OEL values may come recommended by a particular company, a government regulatory agency or an organization of experts. Although considered protective of health, the OEL values are derived by a process different of REACH.

- DERIVED NO-EFFECT LEVEL, WORKERS:- Systemic effects, acute and chronic:	DNEL Inhalation mg/m3		DNEL Cutaneous mg/kg bw/d		DNEL Oral mg/kg bw/d	
Cement portland	- (a)	- (c)	- (a)	- (c)	- (a)	- (c)
- DERIVED NO-EFFECT LEVEL, WORKERS:- Local effects, acute and chronic:	DNEL Inhalation mg/m3		DNEL Cutaneous mg/cm2		DNEL Eyes mg/cm2	
Cement portland	- (a)	- (c)	- (a)	- (c)	- (a)	- (c)
- DERIVED NO-EFFECT LEVEL, GENERAL POPULATION:- Systemic effects, acute and chronic:	DNEL Inhalation mg/m3		DNEL Cutaneous mg/kg bw/d		DNEL Eyes mg/kg bw/d	
Cement portland	- (a)	- (c)	- (a)	- (c)	- (a)	- (c)
- LOCAL EFFECTS, ACUTE AND CHRONIC:- Local effects, acute and chronic:	DNEL Inhalation mg/m3		DNEL Cutaneous mg/cm2		DNEL Eyes mg/cm2	
Cement portland	- (a)	- (c)	- (a)	- (c)	- (a)	- (c)

- (a) Acute, short-term exposure, (c) Chronic, long-term or repeated exposure.
- (-) DNEL not available (without data of registration REACH).

### - PREDICTED NO-EFFECT CONCENTRATION (PNEC):

- PREDICTED NO-EFFECT CONCENTRATION,	PNEC Fresh water	PNEC Marine	PNEC Intermittent
AQUATIC ORGANISMS:- Fresh water, marine	mg/l	mg/l	mg/l
water and intermittent release:			
Cement portland	-	-	-
- WASTEWATER TREATMENT PLANTS (STP)	PNEC STP	PNEC Sediments	PNEC Sediments
AND SEDIMENTS IN FRESH- AND MARINE	mg/l	mg/kg dw/d	mg/kg dw/d
<u>WATER:</u>			
Cement portland	-	-	-
- PREDICTED NO-EFFECT CONCENTRATION,	PNEC Air	PNEC Soil	PNEC Oral
TERRESTRIAL ORGANISMS:- Air, soil and	mg/m3	mg/kg dw/d	mg/kg dw/d
effects for predators and humans:			
Cement portland	-	-	-
/ DNICC most available (without data of magistus)	DEACH)		

(-) - PNEC not available (without data of registration REACH).

# 8.2 EXPOSURE CONTROLS:

## **ENGINEERING MEASURES:**











Provide adequate cleaning. Where reasonably practicable, this should be achieved by the use of local exhaust ventilation and good general extraction. If these measures are not sufficient to maintain concentrations of particles below the Occupational Exposure Limits, suitable respiratory protection must be worn.

### - Protection of respiratory system:

Avoid the inhalation of product.

Protection of eyes and face:

It is recommended to install water taps or sources with clean water close to the working area.

Protection of hands and skin:

It is recommended to install water taps or sources with clean water close to the working area.Barrier creams may help to protect the exposed areas of the skin.Barrier creams should not be applied once exposure has occurred.

OCCUPATIONAL EXPOSURE CONTROLS: REGULATION (EU) NO. 2016/425:



Code: 5340



Version: 1 Date of issue: 19/01/2023 Date of printing: 19/01/2023

As a general measure on prevention and safety in the work place, we recommend the use of a basic personal protection equipment (PPE), with the corresponding marking. For more information on personal protective equipment (storage, use, cleaning, maintenance, type and characteristics of the PPE, protection class, marking, category, CEN norm, etc...), you should consult the informative brochures provided by the manufacturers of PPE.

Mask:	Suitable respiratory protection at low concentrations or short-term incidence:P2-type filter mask (white), with medium retention ability, for irritant or harmful solid particles or aerossols (EN143), Inward leakage: 8%, Assigned protection factor: up to 10 times TLV.In order to obtain a suitable protection level, the filter class must be selected depending on the type and concentration of the contaminating agents present, in accordance with the specifications supplied by the filter producers.Particle filters must be disposed when you notice an increase in breathing resistance.
Safety goggles:	Safety goggles with suitable lateral protection (EN166).Clean daily and disinfect at regular intervals in accordance with the instructions of the manufacturer.
Face shield:	No.
Gloves:	Gloves resistant against chemicals (EN374). There are several factors (for example, temperature), they do in practice the period of use of a protective gloves resistant against chemicals is clearly lower than the established standard EN374. Due to the wide variety of circumstances and possibilities, the instructions/specifications provided by the glove supplier should be taken into account. If used in solution or mixed with other substances, or under conditions different from the EN374, please contact the supplier of the approved gloves. Use the proper technique of removing gloves (without touching glove's outer surface) to avoid contact of the product with the skin. The gloves should be immediately replaced when any sign of degradation is noted.
Boots:	No.
Apron:	Advisable. ✓
Clothing:	No.

## - Thermal hazards:

Not applicable (the product is handled at room temperature).

**ENVIRONMENTAL EXPOSURE CONTROLS:** 

Avoid any spillage in the environment.

- Spills on the soil:

Prevent contamination of soil.

- Spills in water:

Do not allow to escape into drains, sewers or water courses.

-Water Management Act:

This product does not contain any substance included in the list of priority substances in the field of water policy under Directive 2000/60/EC~2013/39/EU.

- Emissions to the atmosphere:

Not applicable.



Code: 5340

Version: 1 Date of issue: 19/01/2023 Date of printing: 19/01/2023



## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES:

**Appearance** 

Physical state: Solid Colour: White Odour: Odourless Not available Odour threshold:

Change of state

Melting point: > 1.000.00 °C Initial boiling point: Not available.

- Flammability:

Flashpoint: Not applicable (solid).

Lower/upper flammability or explosive limits: Not applicable - Not applicable

Autoignition temperature: Not applicable

Stability

825,00 °C Decomposition temperature:

pH-value

pH: Not available

Viscosity:

Not applicable (solid). Kinematic viscosity:

Solubility(ies):

Solubility in water Insoluble

Liposolubility: Not applicable (inorganic product). Partition coefficient: n-octanol/water: Not applicable (inorganic substance).

Volatility:

Evaporation rate: Not applicable.

**Density** 

Relative density: 2,771 at 20/4°C Relative water

Relative vapour density: Not applicable (solid).

Particle characteristics

Particle size: Not available.

Explosive properties:

In the molecule there is no chemical groups associated with explosive properties.

Oxidizing properties:

Not classified as oxidizing product.

#### 9.2 **OTHER INFORMATION:**

# Information regarding physical hazard classes

No additional information available.

Other security features:

Molecular weight (numeric): Not available. Surface tension: Not available.

The values indicated do not always coincide with product specifications. The data for the product specifications can be found in the corresponding technical data sheet. For additional information concerning physical and chemical properties related to safety and environment, see sections 7 and 12.



Version: 1

# RHONAPLAST\_CEMENTO COLA

Code: 5340

Date of issue: 19/01/2023 Date of printing: 19/01/2023



SECTION	N 10: STABILITY AND REACTIVITY
10.1	REACTIVITY:
	Reacts with acids forming carbon dioxide.
	- Corrosivity to metals:
	It is not corrosive to metals.
	- Pyrophorical properties:
	It is not pyrophoric.
10.2	CHEMICAL STABILITY:
	Stable under recommended storage and handling conditions.
10.3	POSSIBILITY OF HAZARDOUS REACTIONS:
	Reacts with acids forming carbon dioxide.
10.4	CONDITIONS TO AVOID:
	- Light:
	Not applicable.
	<u>- Air:</u>
	The product is not affected by exposure to air, but should not be left the containers open.
	<u>- Humidity:</u>
	Avoid extreme humidity conditions.
	- Pressure:
	Not relevant.
	- Shock:
	The product is not sensitive to shocks, but as a recommendation of a general nature should be avoided bumps and rough handling to avoid
	dents and breakage of packaging, especially when the product is handled in large quantities, and during loading and download operations.
10.5	INCOMPATIBLE MATERIALS:
	Keep away from acids.
10.6	HAZARDOUS DECOMPOSITION PRODUCTS:
	As consequence of thermal decomposition, hazardous products may be produced: .

## SECTION 11: TOXICOLOGICAL INFORMATION

#### INFORMATION ON HAZARD CLASSES AS DEFINED IN REGULATION (EC) NO 1272/2008: 11.1

# **ACUTE TOXICITY:**

**Dose and lethal concentrations** 

for individual ingredients:

Not available

Estimates of acute toxicity (ATE)

for individual ingredients:

Not classified as a product with acute toxicity.

## No observed adverse effect level

Not available

## - Lowest observed adverse effect level

Not available

# INFORMATION ON LIKELY ROUTES OF EXPOSURE: ACUTE TOXICITY:

Routes of exposure	Acute toxicity	Cat.	Main effects, acute and/or delayed	Criteria
Inhalation: Not classified	ATE > 5000 mg/m3	Not available.	Not classified as a product with acute toxicity if inhaled (based on available data, the classification criteria are not met).	GHS/CLP 3.1.2. OECD 403
Skin: Not classified	ATE > 2000 mg/kg bw	Not available.	Not classified as a product with acute toxicity in contact with skin (based on available data, the classification criteria are not met).	
Eyes: Not classified	Not available.	-	Not classified as a product with acute toxicity by eye contact (lack of data).	GHS/CLP 1.2.5.
Ingestion: Not classified	ATE > 2000 mg/kg bw	Not available.	Not classified as a product with acute toxicity if swallowed (based on available data, the classification criteria are not met).	GHS/CLP 3.1.2. OECD 401

GHS/CLP 3.1.3.6: Classification of mixtures based on ingredients of the mixture (additivity formula).

## CORROSION / IRRITATION / SENSITISATION :

Danger class	Il arget organe	Cat.	Main effects, acute and/or delayed	Criteria



Code: 5340

Version: 1 Date of issue: 19/01/2023 Date of printing: 19/01/2023



-	Respiratory corrosion/irritation:	Respiratory tract	Cat.3	IRRITANT: May cause respiratory irritation.	GHS/CLP 1.2.6. 3.8.2.2.1.
-	Skin corrosion/irritation:	Skin	Cat.2	IRRITANT: Causes skin irritation.	GHS/CLP 3.2.2. OECD 404
-	Serious eye damage/irritation:	Eyes	Cat.2	IRRITANT: Causes serious eye irritation.	GHS/CLP 3.3.2. OECD 405
	Respiratory sensitisation: ot classified	-	-	Not classified as a product sensitising by inhalation (lack of data).	GHS/CLP 3.4.2.1.
-	Skin sensitisation:	Skin	Cat.1	SENSITISING: May cause an allergic skin reaction.	GHS/CLP 3.4.2.2. OECD 406

GHS/CLP 3.2.3.3: Classification of the mixture when data are available for all components or only for some components.

GHS/CLP 3.3.3.3: Classification of the mixture when data are available for all components or only for some components.

GHS/CLP 3.4.3.3: Classification of the mixture when data are available for all components or only for some components.

GHS/CLP 3.8.3.4: Classification of the mixture when data are available for all components or only for some components.

### **ASPIRATION HAZARD:**

Danger class	Target organs	Cat.	Main effects, acute and/or delayed	Criteria
- Aspiration hazard:	-	-	Not applicable (solid).	GHS/CLP
Not classified				3.10.2.

GHS/CLP 3.10.3.3: Classification of the mixture when data are available for all components or only for some components.

### SPECIFIC TARGET ORGANS TOXICITY (STOT): Single exposure (SE) and/or Repeated exposure (RE):

Effects SE	E/RE Targ	get organs	Cat.	Main effects, acute and/or delayed	Criteria
- Respiratory effects: SE	Res	spiratory tract	Cat.3	, , ,	GHS/CLP 3.8.3.4

GHS/CLP 3.8.3.4: Classification of the mixture when data are available for all components or only for some components.

# **CMR EFFECTS:**

# Carcinogenic effects:

It is not considered as a carcinogenic product.

## - Genotoxicity:

It is not considered as a mutagenic product.

## - Toxicity for reproduction:

Does not harm fertility. Does not harm the unborn child.

### - Effects via lactation:

Not classified as a hazardous product for children breast-fed.

# DELAYED AND IMMEDIATE EFFECTS AS WELL AS CHRONIC EFFECTS FROM SHORT AND LONG-TERM EXPOSURE:

### Routes of exposure

Not available.

### - Short-term exposure:

May slightly irritate the eyes temporarily. If swallowed in excessive amounts can cause hypercalcemia; the resultant hypocalcemia may affect heart function and nerve.

# - Long-term or repeated exposure:

Pulmonary disorders may appear due to continual inhalation of dust.

# **INTERACTIVE EFFECTS:**

Not available.

## INFORMATION ABOUT TOXICOCINETICS, METABOLISM AND DISTRIBUTION:

## Dermal absorption:

Not available.

## Basic toxicokinetics:

Not available.



Code: 5340



Version: 1 Date of issue: 19/01/2023 Date of printing: 19/01/2023

## ADDITIONAL INFORMATION:

Some people may develop eczema by exposure to dust from wet cement, caused either by high pH which causes dermatitis irritation after prolonged contact,

#### **INFORMATION ON OTHER HAZARDS:** 11.2

Endocrine disrupting properties:

This product does not contain substances with endocrine disrupting properties identified or under evaluation.

Other information:

No additional information available.

## SECTION 12: ECOLOGICAL INFORMATION

#### TOXICITY: 12.1

- Acute toxicity in aquatic environment

Not available

## - No observed effect concentration

Not available

# - Lowest observed effect concentration

Not available

**ASSESSMENT OF AQUATIC TOXICITY:** 

Aquatic toxicity	Cat.	Main hazards to the aquatic environment	Criteria
<ul> <li>Acute aquatic toxicity:</li> <li>Not classified</li> </ul>		· · · · · · · · · · · · · · · · · · ·	GHS/CLP 4.1.2.
- Chronic aquatic toxicity:		Not classified as a dangerous product with chronic toxicity to aquatic life with long lasting effects (based on available data, the classification criteria are not met).	GHS/CLP 4.1.2.

CLP 4.1.3.5.5.3: Classification of a mixture for acute hazards, based on summation of classified components.

CLP 4.1.3.5.5.4: Classification of a mixture for chronic (long term) hazards, based on summation of classified components.

#### PERSISTENCE AND DEGRADABILITY: 12.2

- Biodegradability:

Not applicable (inorganic substance).

- Hydrolysis:

Not applicable.

Photodegradability:

Not available.

#### **BIOACCUMULATIVE POTENTIAL:** 12.3

Not bioaccumulable.

Bioaccumulation	logPow	_	Potential
for individual ingredients		L/kg	
Cement portland			No bioaccumulable

#### 12.4 **MOBILITY IN SOIL:**

Not available

#### RESULTS OF PBT AND VPVB ASSESMENT: (Annex XIII of Regulation (EC) no. 1907/2006:) 12.5

Do not fulfil the PBT/vPvB criteria: Half-life in the marine environment < 60 days, Half-life in fresh-water or estuarine < 40 days, Half-life in marine sediments < 180 days, Half-life in sediments of fresh-water or estuarine < 120 days, Half-life in the soil < 120 days, Bioconcentration factor BCF < 2000,Long term 'No observed effect concentration' for fresh-water or marine organisms NOEC > 0.01 mg/l,lt is NOT classified as CMR, It has NO endocrine disrupting potential.

#### **ENDOCRINE DISRUPTING PROPERTIES:** 12.6

This product does not contain substances with endocrine disrupting properties identified or under evaluation.

#### **OTHER ADVERSE EFFECTS:** 12.7

- Ozone depletion potential:

Not dangerous for the ozone layer.

- Photochemical ozone creation potential:

Not applicable.

## Earth global warming potential:

This substance is present in Nature. By thermal decomposition or in contact with acids liberates CO2. Carbon dioxide is a greenhouse gas, which absorbs infrared radiation emitted by the Earth, contributing to increase the temperature of the planet's surface.



Code: 5340

Date of issue: 19/01/2023

Date of printing: 19/01/2023



Version: 1

## SECTION 13: DISPOSAL CONSIDERATIONS

## WASTE TREATMENT METHODS: Directive 2008/98/EC~Regulation (EU) no. 1357/2014:

Take all necessary measures to prevent the production of waste whenever possible. Analyse possible methods for revaluation or recycling. Do not discharge into drains or the environment, dispose at an authorised waste collection point. Waste should be handled and disposed in accordance with current local and national regulations. For exposure controls and personal protection measures, see section 8.

Disposal of empty containers: Directive 94/62/EC~2015/720/EU, Decision 2000/532/EC~2014/955/EU:

Emptied containers and packaging should be disposed in accordance with currently local and national regulations. The classification of packaging as hazardous waste will depend on the degree of empting of the same, being the holder of the residue responsible for their classification, in accordance with Chapter 15 01 of Decision 2000/532/EC, and forwarding to the appropriate final destination. With contaminated containers and packaging, adopt the same measures as for the product in itself.

Procedures for neutralising or destroying the product:

	Authorised landfill in accordance with local regulations.
OFOTIO	5
	N 14: TRANSPORT INFORMATION
14.1	UN NUMBER OR ID NUMBER:
	Not applicable
14.2	UN PROPER SHIPPING NAME:
	Not applicable
14.3	TRANSPORT HAZARD CLASS(ES):
	Transport by road (ADR 2021) and
	Transport by rail (RID 2021):
	No reglamented
	Transport by sea (IMDG 39-18):
	No reglamented
	Transport by air (ICAO/IATA 2021):
	No reglamented
	Transport by inland waterways (ADN):
	No reglamented
14.4	PACKING GROUP:
	No reglamented
14.5	ENVIRONMENTAL HAZARDS:
	Not applicable (not classified as hazardous for the environment).
14.6	SPECIAL PRECAUTIONS FOR USER:
	Ensure that persons transporting the product know what to do in case of accident or spill. Always transport in closed containers that are
	upright and secure.
14.7	MARITIME TRANSPORT IN BULK ACCORDING TO IMO INSTRUMENTS:
	Not applicable.
SECTIO	N 15: REGULATORY INFORMATION
15.1	SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/LEGISLATION SPECIFIC FOR THE SUBSTANCE OR MIXTURE:
	The regulations applicable to this product generally are listed throughout this Safety Data Sheet.
	Restrictions on manufacture, placing on market and use:
	See section 1.2
	Tactile warning of danger:

Not applicable (the classification criteria are not met).

**Child safety protection:** 

Not applicable (the classification criteria are not met).

Control of Cr(VI) soluble:

For cement treated with a Cr(VI) reducing agent the effect of the reducing agent decreases with time.

**OTHER REGULATIONS:** 

Control of the risks inherent in major accidents (Seveso III):

See section 7.2

Other local legislations:

The receiver should verify the possible existence of local regulations applicable to the chemical.

15.2 CHEMICAL SAFETY ASSESSMENT:

Not available.



Code: 5340

Version: 1 Date of issue: 19/01/2023 Date of printing: 19/01/2023



## SECTION 16: OTHER INFORMATION

### 16.1 TEXT OF THE PHRASES AND NOTES REFERENCED IN SECTIONS 2 AND/OR 3:

Hazard statements according the Regulation (EU) No. 1272/2008~2021/849 (CLP), Annex III:

H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H335 May cause respiratory irritation.

### **ADVICES ON ANY TRAINING APPROPRIATE FOR WORKERS:**

It is recommended for all staff that will handle this product to carry out a basic training in occupational risk and prevention, in order to provide understanding and interpretation of Safety Data Sheets and labelling of products as well.

### MAIN LITERATURE REFERENCES AND SOURCES FOR DATA:

- · European Chemicals Agency: ECHA, http://echa.europa.eu/
- · Access to European Union Law, http://eur-lex.europa.eu/
- · Threshold Limit Values, (AGCIH, 2021).
- · European agreement on the international carriage of dangerous goods by road, (ADR 2021).
- · International Maritime Dangerous Goods Code IMDG including Amendment 39-18 (IMO, 2018).

### ABBREVIATIONS AND ACRONYMS:

List of abbreviations and acronyms that can be used (but not necessarily used) in this Safety Data Sheet:

- · REACH: Regulation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals.
- · GHS: Globally Harmonized System of Classification and Labelling of Chemicals of the United Nations.
- CLP: European regularion on Classificatin, Labelling amd Packaging of substances and chemical mixtures.
- EINECS: European Inventory of Existing Commercial Chemical Substances.
- · ELINCS: European List of Notified Chemical Substances
- · CAS: Chemical Abstracts Service (Division of the American Chemical Society).
- UVCB: Substances of Unknown or Variable composition, complex reaction products or biological materials.
- · SVHC: Substances of Very High Concern.
- · PBT: Persistent, bioaccumulable and toxic substances.
- · vPvB: Very persistent and very bioaccumulable substances.
- · DNEL: Derived No-Effect Level (REACH).
- PNEC: Predicted No-Effect Concentration (REACH).
- · LC50: Lethal concentration, 50 percent.
- · LD50: Lethal dose, 50 percent.
- UN: United Nations Organisation.
- · ADR: European agreement concerning the international carriage of dangeous goods by road.
- · RID: Regulations concerning the international transport of dangeous goods by rail.
- · IMDG: International Maritime code for Dangerous Goods.
- · IATA: International Air Transport Association.
- ICAO: International Civil Aviation Organization.

# SAFETY DATA SHEET REGULATIONS:

Safety Data Sheet in accordance with Article 31 of Regulation (EC) No. 1907/2006 (REACH) and Annex of Regulation (EU) No. 2020/878.

HISTORIC: REVISION: Version: 1 19/01/2023

The information of this Safety Data Sheet, is based on the present state of knowledge and on current UE and national laws, as the users" working conditions are beyond our knowledge and control. The product is not to be used for other purposes than those specified, without first obtaining written handling instruction. It is always the responsibility of the user to take all necessary steps in order to fulfil the demand laid down in the local rules and legislation. The information in this Safety Data Sheet is meant as a description of the safety requirements of the product and it is not to be considered as a guarantee of the product"s properties.