\prec	isa	Val	RXI ESENCIA TINTE ROJO Code : 7000		
Version	: 18	Revi	sion: 09/02/2023	Previous revision: 08/02/2023	Date of printing: 09/02/2023
mixtures.	This product	t does not me	n (EC) No. 1907/2006 (REACH), et the classification criteria of Reg rements regarding the content of	a safety data sheet (SDS) must be provide gulation (EC) No. 1272/2008 (CLP).Therefo each section are not applicable.	ed for dangerous substances or ore, this document is outside the scope o
SECTION	1: IDENTIF	FICATION OF	THE SUBSTANCE/MIXTURE A	ND OF THE COMPANY/UNDERTAKING	
1.1		T IDENTIFIE			
	RXI ESEN Code : 700	CIA TINTE R	OlO		
1.2		-	ED USES OF THE SUBSTAN	CE OR MIXTURE AND USES ADVISE	D AGAINST:
1.2	Intended u # Pigmente Sectors of	u <mark>ses (main t</mark> e ed paste for ti	echnical functions): [] Inc nting.	Justrial [X] Professional [X] Consumers	
	Profession	al uses (SU21),	2),		
	<u>Uses advi</u>	sed against:			
	# None.As	there is not c	lassified as dangerous, this produ y guidelines provided.	uct can be used in ways other than the iden	tified uses, but all uses have to be
				use, according to Annex XVII of Regula	tion (EC) No. 1907/2006
	Not restrict		actare, placing on manactaria		
1.3			PPLIER OF THE SAFETY DA	TA SHEET:	
		S ISAVAL, S.L			
			I- P.I. Casanova - 46394 Ribarroj 1640001 - Fax: +34 96 1640002 -	. ,	
			e person responsible for the Sa		
	atencional	cliente@isava	l.es		
1.4			HONE NUMBER:		
		40001 8:00-18			
		DS IDENTIFI			
2.1			F THE SUBSTANCE OR MIX	<u>IURE.</u> e with Regulation (EU) No. 1272/2008~202	1/849 (CLP)
	Note: This under ordir	product does nary condition	not require a Safety Data Sheet	according to the Regulation (EC) no. 2020/ chemical, health safety or environmental ha	878.When used as recommended or
2.2		ELEMENTS:	· · ·		
	•			with Regulation (EU) No. 1272/2008~2021/	/849 (CLP).
		statements:			
	None. #- Precau	tionary state	ments:		
	P102	-	Keep out of reach of children.		
	P262		Do not get in eyes, on skin, or on	•	
	P271		Use only outdoors or in a well-ve		
	P273	nentary state	Avoid release to the environment ments:		
	EUH208	·	Contains 1,2-benzisothiazol-3(2F and 2-methyl-2H-isothiazol-3-one	l)-one, Reaction mass of 5-chloro-2-methyl e [EC 220-239-6] (3:1). May produce an alle	
			tribute to classification: qual to or higher than the limit for	the name.	
2.3		IAZARDS:			
	Hazards w	hich do not re		ay contribute to the overall hazards of the m	nixture:
		<u>iysicochemic</u>			
			se effects are known. n <u>health effects:</u>		
				owsiness. Prolonged contact may cause sk	kin dryness.
	- Other ne	gative enviro	onmental effects:		-
			nces that fulfil the PBT/vPvB crite	ria.	
		<u>e disrupting p</u> ct contains su		ng properties identified or under evaluation	in a concentration of loss than 0.40/ her
			ibromo-2-cyanoacetamide (DBNI		in a concentration of less than 0.1% by
		···· j ····, =,= ··	ibronno z oganoacotannao (BBN	, (j.	

ersio	n: 18 Rev	ision: 09/02/2023	Previous revision: 08/02/2023	Date	of printing: 09/02/20
				Duio	or printing: 00/02/20
CHO 8.1	N 3: COMPOSITION/INF	ORMATION ON INGREDIENTS			
	Not applicable (mixture).			
3.2	MIXTURES:	·			
	This product is a mixtur				
	Chemical description	<u>.</u> de, Pigment Red 101 in aqueous me	dia		
	HAZARDOUS INGRE				
		in a percentage higher than the exe			
	1 < C ≤ 2 %	Cocoalkylamine and oleyl phosphate CAS: 120968-16-3, EC: 601-749-1	ethoxylated	Autoclassified Notified	
		CLP: Warning: Skin Irrit. 2:H315 Ey	e Irrit. 2:H319	Notified	
	C < 0,05 %	1,2-benzisothiazol-3(2H)-one		CLP00	Skin Sens. 1, H3
		CAS: 2634-33-5, EC: 220-120-9			C ≥0,05
		CLP: Danger: Acute Tox. (oral) 4:H3 Eye Dam. 1:H318 Skin Sens. 1:H3		515	
		Reaction mass of 5-chloro-2-methyl-		71 ATP13	Skin Corr. 1C, H3
		and 2-methyl-2H-isothiazol-3-one [E		1	C ≥0,0 Skin Irrit. 2. H3
		CAS: 55965-84-9, EC: 611-341-5 CLP: Danger: Acute Tox. (inh.) 2:H3	30 Acute Tox (skin) 2.H310 Acute	Τοχ	0,06 % ≤ C < 0,
		(oral) 3:H301 Skin Corr. 1C:H314		10.	Eye Dam. 1, H3 C ≥0,6
		1:H400 (M=100) Aquatic Chronic 1:	H410 (M=100) EUH071 Skin Sen	S.	Eye Irrit. 2, H3 0,06 % ≤ C < 0,0
		1A:H317 (Note B)			Skin Sens. 1A, H3 C ≥0,001
	Impurities:				0 20,00 1
		components or impurities which will	influence the classification of the pro	oduct.	
	Stabilizers:				
	None. Reference to other se	ational			
		see sections 8, 11, 12 and 16.			
		ERY HIGH CONCERN (SVHC):			
	List updated by ECHA				
	Substances SVHC su	ubject to authorisation, included ir	Annex XIV of Regulation (EC) net	<u>b. 1907/2006:</u>	
	None.			2000	
	None.	andidate to be included in Annex 2	XIV of Regulation (EC) no. 1907/2	2006:	
		CCUMULABLE AND TOXIC PBT,	OR VERY PERSISTENT AND V	ERY BIOACCUMULAB	LE VPVB
	SUBSTANCES:				
	Does not contain subst	ances that fulfil the PBT/vPvB criteri	a.		
CTIO	N 4: FIRST AID MEASUF				
.1		IRST AID MEASURES:			
		ay occur after exposure, so that in ca ttention.Never give anything by mou		, when in doubt, or when	symptoms persi
	Route of exposure	Symptoms and effects, acute	and delayed Description of	of first-aid measures	
	Inhalation:	# It is not expected that symp	toms will occur under # Should the	re be any symptoms, tra	nsfer the person
		normal conditions of use.	affected to th		1.01
	Skin:	# Prolonged contact may cau	affected area	ontaminated clothing.Was a with plenty of cold or lul , or use a suitable skin cl	kewarm water ar
	Eyes:	Contact with the eyes produc	-	tact lenses.Rinse eyes c	
			irrigation with	n plenty of clean, fresh w	ater, holding the
	Ingestion:	# If swallowed in high doses,		If irritation persists, consult of the line to the line to the	
		gastrointestinal disturbances.		eep the patient at rest.	
2		SYMPTOMS AND EFFECTS, BC	TH ACUTE AND DELAYED:		
		nd effects are indicated in sections 4.			
.3		Y IMMEDIATE MEDICAL ATTEN	HON AND SPECIAL TREATMEN	II NEEDED:	
	Notes to physician:	rected at the control of symptoms ar	nd the clinical condition of the nation		
	Antidotes and contrai		ia the chilical contaition of the patient		
	AUTOOLES AUT COULD				

accordar	nce with Regulation (EC) I	No. 1907/2006 and Regulation (El	U) NO. 2020/878	(Language:E
K	isaval	RXI ESENCIA TINTE ROJO Code : 7000		
ersion:	: 18 Revi	ision: 09/02/2023	Previous revision: 08/02/2023	Date of printing: 09/02/202
CTION	5: FIREFIGHTING MEA	ASURES		
	EXTINGUISHING ME			
	Extinguishing powder or			
		ARISING FROM THE SUBST		manavida. Carbon diavida
	nitrogen oxides, sulfur o products may be a haza	oxides, halogenated compounds ard to health.	on, hazardous products may be produced: carbon , hydrochloric acid, phosphorus oxides.Exposure t	
	ADVICE FOR FIREFI			
	protective glasses or fac sheltered position or fro <u>Other recommendation</u> Cool with water the tank	de of fire, heat-proof protective cl ce masks and boots.If the fire-pr om a safe distance.The standard ons: ks, cisterns or containers close to	lothing may be required, appropriate independent oof protective equipment is not available or is not EN469 provides a basic level of protection for cho o sources of heat or fire.Bear in mind the direction	being used, combat fire from a emical incidents.
	° °	drains, sewers or water courses	δ.	
	6: ACCIDENTAL RELEA			
	Eliminate possible source breathing vapours.Keep	ces of ignition and when approp p people without protection in op	PMENT AND EMERGENCY PROCEDURES riate, ventilate the area. Do not smoke.Avoid direc position to the wind direction.	
	lakes, rivers or sewages	drains, surface or subterranean s, inform the appropriate authorit	water and soil.In the case of large scale spills or v ties in accordance with local regulations.	vhen the product contaminates
.3		FERIAL FOR CONTAINMENT	<u>AND CLEANING UP:</u> ent materials (earth, sand, vermiculite, diatomace	ous earth, etc). Keep the remai
	in a closed container.			
.4	in a closed container. <u>REFERENCE TO OT</u> For contact information For information on safe For exposure controls a		s, see section 8.	
5.4	in a closed container. <u>REFERENCE TO OT</u> For contact information For information on safe For exposure controls a	HER SECTIONS: in case of emergency, see section handling, see section 7. and personal protection measure ow the recommendations in sect	s, see section 8.	
5.4 ECTION	in a closed container. <u>REFERENCE TO OT</u> For contact information For information on safe For exposure controls a For waste disposal, follo	HER SECTIONS: in case of emergency, see section handling, see section 7. and personal protection measure ow the recommendations in sect ORAGE	s, see section 8.	
5.4 ECTION 7.1	in a closed container. REFERENCE TO OT For contact information For information on safe For exposure controls a For waste disposal, follo 7: HANDLING AND STO PRECAUTIONS FOR Comply with the existing	HER SECTIONS: in case of emergency, see section handling, see section 7. and personal protection measure ow the recommendations in sect ORAGE CSAFE HANDLING: g legislation on health and safety	s, see section 8. ion 13.	
CTION	in a closed container. REFERENCE TO OT For contact information For information on safe For exposure controls a For waste disposal, follo 7: HANDLING AND STO PRECAUTIONS FOR Comply with the existing - General recommend	HER SECTIONS: in case of emergency, see section handling, see section 7. and personal protection measure ow the recommendations in sect ORAGE SAFE HANDLING: g legislation on health and safety dations:	rs, see section 8. ion 13. y at work.	
6.4 ECTION 7.1	in a closed container. REFERENCE TO OT For contact information For information on safe For exposure controls a For waste disposal, follo 7: HANDLING AND STO PRECAUTIONS FOR Comply with the existing - General recommend	HER SECTIONS: in case of emergency, see section handling, see section 7. and personal protection measure ow the recommendations in sect ORAGE SAFE HANDLING: g legislation on health and safety dations: sources of ignition and away fror	s, see section 8. ion 13.	ny type of leakage or
GCTION	in a closed container. REFERENCE TO OT For contact information For information on safe For exposure controls a For waste disposal, follo 7: HANDLING AND STO PRECAUTIONS FOR Comply with the existing - General recommend Use in areas free from se escape. Keep the contaitant - Recommendations for Vapours are heavier that distant ignition sources lights and other sources	HER SECTIONS: in case of emergency, see section handling, see section 7. and personal protection measure ow the recommendations in sect ORAGE SAFE HANDLING: g legislation on health and safety dations: sources of ignition and away fror iner tightly closed. for the prevention of fire and e an air, may spread along floors to and flame up or explode.Due to	s, see section 8. ion 13. y at work. n heat or electrical sources.Do not smoke.Avoid a <u>explosion risks:</u> o a considerable distance, can form explosive mix its flammability, this material should only be used and away from other heat or electrical sources.Do	tures with air and are able to rea in areas from which all naked o not smoke.
.4 CTION .1	in a closed container. REFERENCE TO OT For contact information For information on safe For exposure controls a For waste disposal, follo 7: HANDLING AND STO PRECAUTIONS FOR Comply with the existing - General recommend Use in areas free from s escape.Keep the contai - Recommendations for Vapours are heavier thad distant ignition sources lights and other sources Flashpoint	HER SECTIONS: in case of emergency, see section handling, see section 7. and personal protection measure ow the recommendations in sect ORAGE SAFE HANDLING: g legislation on health and safety dations: sources of ignition and away from iner tightly closed. for the prevention of fire and e an air, may spread along floors to and flame up or explode.Due to s of ignition have been excluded	y at work. n heat or electrical sources.Do not smoke.Avoid a <u>explosion risks:</u> o a considerable distance, can form explosive mix its flammability, this material should only be used and away from other heat or electrical sources.Do 100* °C (Pensky-Martens)	tures with air and are able to rea in areas from which all naked o not smoke. CLP 2.6.4.3.
.4 CTION .1	in a closed container. REFERENCE TO OT For contact information For information on safe For exposure controls a For waste disposal, follo 7: HANDLING AND STO PRECAUTIONS FOR Comply with the existing - General recommend Use in areas free from s escape.Keep the contai - Recommendations for Vapours are heavier thad distant ignition sources Ights and other sources Flashpoint Autoignition temperature	HER SECTIONS: in case of emergency, see section handling, see section 7. and personal protection measure ow the recommendations in sect ORAGE SAFE HANDLING: g legislation on health and safety dations: sources of ignition and away from iner tightly closed. for the prevention of fire and e an air, may spread along floors to and flame up or explode.Due to s of ignition have been excluded e:	s, see section 8. ion 13. y at work. n heat or electrical sources.Do not smoke.Avoid a explosion risks: o a considerable distance, can form explosive mix its flammability, this material should only be used and away from other heat or electrical sources.Do 100* °C (Pensky-Martens) Not applicable (do not sustain combo	tures with air and are able to rea in areas from which all naked o not smoke. CLP 2.6.4.3.
CTION	in a closed container. REFERENCE TO OT For contact information For information on safe For exposure controls a For waste disposal, follo 7: HANDLING AND STO PRECAUTIONS FOR Comply with the existing - General recommend Use in areas free from s escape.Keep the contai - Recommendations for Vapours are heavier that distant ignition sources lights and other sources Flashpoint Autoignition temperature - Recommendations for Do not eat, drink or smo measures, see section 8	HER SECTIONS: in case of emergency, see section handling, see section 7. and personal protection measure ow the recommendations in sect ORAGE SAFE HANDLING: g legislation on health and safety dations: sources of ignition and away from iner tightly closed. for the prevention of fire and e an air, may spread along floors to and flame up or explode.Due to s of ignition have been excluded e: for the prevention of toxicologic boke while handling.After handling 8.	s, see section 8. ion 13. y at work. m heat or electrical sources.Do not smoke.Avoid a explosion risks: o a considerable distance, can form explosive mix its flammability, this material should only be used and away from other heat or electrical sources.Do 100* °C (Pensky-Martens) Not applicable (do not sustain combu ical risks: g, wash hands with soap and water. For exposure	tures with air and are able to rea in areas from which all naked o not smoke. CLP 2.6.4.3. ustion).
.4 CTION .1	in a closed container. REFERENCE TO OT For contact information For information on safe For exposure controls a For waste disposal, follo 7: HANDLING AND STO PRECAUTIONS FOR Comply with the existing - General recommend Use in areas free from s escape.Keep the contai - Recommendations for Vapours are heavier that distant ignition sources lights and other sources Flashpoint Autoignition temperature - Recommendations for Do not eat, drink or smo measures, see section 8 - Recommendations for # It is not considered a	HER SECTIONS: in case of emergency, see section handling, see section 7. and personal protection measure ow the recommendations in sect ORAGE CSAFE HANDLING: g legislation on health and safety dations: sources of ignition and away from iner tightly closed. for the prevention of fire and e an air, may spread along floors to and flame up or explode.Due to s of ignition have been excluded e: for the prevention of toxicologi boke while handling.After handling 8. for the prevention of environm danger to the environment. In the	s, see section 8. ion 13. y at work. m heat or electrical sources.Do not smoke.Avoid a explosion risks: o a considerable distance, can form explosive mix its flammability, this material should only be used and away from other heat or electrical sources.Do 100* °C (Pensky-Martens) Not applicable (do not sustain combu ical risks: g, wash hands with soap and water. For exposure ental contamination: e case of accidental spillage, follow the instruction	tures with air and are able to rea in areas from which all naked o not smoke. CLP 2.6.4.3. ustion). controls and personal protection
.4 CTION 1	in a closed container. REFERENCE TO OT For contact information For information on safe For exposure controls a For waste disposal, follo 7: HANDLING AND STO PRECAUTIONS FOR Comply with the existing - General recommend Use in areas free from se escape.Keep the contai - Recommendations for Vapours are heavier that distant ignition sources lights and other sources Ights and other sources Flashpoint Autoignition temperature - Recommendations for Do not eat, drink or smo measures, see section 8 - Recommendations for # It is not considered a CONDITIONS FOR S Forbid the entry to unau sources. Do not smoke should be closed careful	HER SECTIONS: in case of emergency, see section handling, see section 7. and personal protection measure ow the recommendations in sect ORAGE SAFE HANDLING: g legislation on health and safety dations: sources of ignition and away from iner tightly closed. for the prevention of fire and e an air, may spread along floors to and flame up or explode.Due to s of ignition have been excluded e: for the prevention of toxicologic back while handling.After handling 8. for the prevention of environm danger to the environment. In the GAFE STORAGE, INCLUDING uthorized persons. Keep out of re- in storage area. If possible, avoid	s, see section 8. ion 13. y at work. m heat or electrical sources.Do not smoke.Avoid a explosion risks: o a considerable distance, can form explosive mix its flammability, this material should only be used and away from other heat or electrical sources.Do 100* °C (Pensky-Martens) Not applicable (do not sustain combu ical risks: g, wash hands with soap and water. For exposure ental contamination: e case of accidental spillage, follow the instruction	tures with air and are able to rea in areas from which all naked o not smoke. CLP 2.6.4.3. ustion). controls and personal protection as indicated in section 6.
.4 CTION .1	in a closed container. REFERENCE TO OT For contact information For information on safe For exposure controls a For waste disposal, follo 7: HANDLING AND STO PRECAUTIONS FOR Comply with the existing - General recommend Use in areas free from s escape.Keep the contai - Recommendations for Vapours are heavier that distant ignition sources lights and other sources Flashpoint Autoignition temperature - Recommendations for Do not eat, drink or smo measures, see section a - Recommendations for # It is not considered a CONDITIONS FOR S Forbid the entry to unau sources. Do not smoke	HER SECTIONS: in case of emergency, see section handling, see section 7. and personal protection measure ow the recommendations in sect ORAGE SAFE HANDLING: g legislation on health and safety dations: sources of ignition and away fror iner tightly closed. for the prevention of fire and e an air, may spread along floors to and flame up or explode.Due to s of ignition have been excluded e: for the prevention of toxicologi bake while handling.After handling 8. for the prevention of environm danger to the environment. In the CAFE STORAGE, INCLUDING uthorized persons. Keep out of re in storage area. If possible, avoi ally and placed in a vertical positi gislation.	s, see section 8. ion 13. y at work. m heat or electrical sources.Do not smoke.Avoid a explosion risks: o a considerable distance, can form explosive mix its flammability, this material should only be used and away from other heat or electrical sources.Do 100* °C (Pensky-Martens) Not applicable (do not sustain combu ical risks: g, wash hands with soap and water. For exposure ental contamination: e case of accidental spillage, follow the instruction 5 ANY INCOMPATIBILITIES: each of children. This product should be stored iso id direct contact with sunlight. In order to avoid lea	tures with air and are able to rea in areas from which all naked o not smoke. CLP 2.6.4.3. ustion). controls and personal protection as indicated in section 6.
.4 CTION .1 .2	in a closed container. REFERENCE TO OT For contact information For information on safe For exposure controls a For waste disposal, follo 7: HANDLING AND STO PRECAUTIONS FOR Comply with the existing - General recommend Use in areas free from s escape.Keep the contai - Recommendations fr Vapours are heavier that distant ignition sources lights and other sources Flashpoint Autoignition temperature - Recommendations fr Do not eat, drink or smo measures, see section a - Recommendations fr # It is not considered a of CONDITIONS FOR S Forbid the entry to unau sources. Do not smoke should be closed carefue - Class of store: According to current leg - Maximum storage per 12 Months. - Temperature interval	HER SECTIONS: in case of emergency, see section handling, see section 7. and personal protection measure ow the recommendations in sect ORAGE SAFE HANDLING: g legislation on health and safety dations: sources of ignition and away fror iner tightly closed. for the prevention of fire and e an air, may spread along floors to and flame up or explode.Due to s of ignition have been excluded e: for the prevention of toxicologi oke while handling.After handling 8. for the prevention of environm danger to the environment. In the SAFE STORAGE, INCLUDING uthorized persons. Keep out of re in storage area. If possible, avoi ally and placed in a vertical positi gislation. eriod:	s, see section 8. ion 13. y at work. m heat or electrical sources.Do not smoke.Avoid a explosion risks: o a considerable distance, can form explosive mix its flammability, this material should only be used and away from other heat or electrical sources.Do 100* °C (Pensky-Martens) Not applicable (do not sustain combu ical risks: g, wash hands with soap and water. For exposure ental contamination: e case of accidental spillage, follow the instruction 5 ANY INCOMPATIBILITIES: each of children. This product should be stored iso id direct contact with sunlight. In order to avoid lea	tures with air and are able to rea in areas from which all naked o not smoke. CLP 2.6.4.3. ustion). controls and personal protection as indicated in section 6.
CTION CTION	in a closed container. REFERENCE TO OT For contact information For information on safe For exposure controls a For waste disposal, follo 7: HANDLING AND STO PRECAUTIONS FOR Comply with the existing - General recommend Use in areas free from s escape. Keep the contai - Recommendations for Vapours are heavier that distant ignition sources Ights and other sources Ights and other sources Flashpoint Autoignition temperature - Recommendations for Do not eat, drink or smo measures, see section 8 - Recommendations for # It is not considered a of CONDITIONS FOR S Forbid the entry to unau sources. Do not smoke should be closed carefu - Class of store: According to current legg - Maximum storage per 12 Months. - Temperature intervar min:5 °C, max:40 °C (re - Incompatible materia	HER SECTIONS: in case of emergency, see section handling, see section 7. and personal protection measure ow the recommendations in sect ORAGE SAFE HANDLING: g legislation on health and safety dations: sources of ignition and away from iner tightly closed. for the prevention of fire and e an air, may spread along floors to and flame up or explode.Due to s of ignition have been excluded e: for the prevention of toxicologic bke while handling.After handling 8. for the prevention of environm danger to the environment. In the tAFE STORAGE, INCLUDING uthorized persons. Keep out of re in storage area. If possible, avoid ally and placed in a vertical position gislation. eriod: al: ecommended). als:	s, see section 8. ion 13. y at work. m heat or electrical sources.Do not smoke.Avoid a explosion risks: o a considerable distance, can form explosive mix its flammability, this material should only be used and away from other heat or electrical sources.Do 100* °C (Pensky-Martens) Not applicable (do not sustain combu ical risks: g, wash hands with soap and water. For exposure ental contamination: e case of accidental spillage, follow the instruction 5 ANY INCOMPATIBILITIES: each of children. This product should be stored iso id direct contact with sunlight. In order to avoid lea	tures with air and are able to rea in areas from which all naked o not smoke. CLP 2.6.4.3. ustion). controls and personal protection as indicated in section 6.
5.4 CTION '.1	in a closed container. REFERENCE TO OT For contact information For information on safe For exposure controls a For waste disposal, follo 7: HANDLING AND STO PRECAUTIONS FOR Comply with the existing - General recommend Use in areas free from s escape.Keep the contai - Recommendations for Vapours are heavier that distant ignition sources lights and other sources lights and other sources Flashpoint Autoignition temperature - Recommendations for Do not eat, drink or smo measures, see section 8 - Recommendations for # It is not considered a for CONDITIONS FOR S Forbid the entry to unau sources. Do not smoke should be closed carefur - Class of store: According to current leg - Maximum storage per 12 Months. - Temperature interva min:5 °C, max:40 °C (re - Incompatible materia # Keep away from oxidit - Type of packaging:	HER SECTIONS: in case of emergency, see section handling, see section 7. and personal protection measure ow the recommendations in sect ORAGE SAFE HANDLING: g legislation on health and safety dations: sources of ignition and away from iner tightly closed. for the prevention of fire and e an air, may spread along floors to and flame up or explode.Due to as of ignition have been excluded e: for the prevention of toxicologic bke while handling.After handling 8. for the prevention of environm danger to the environment. In the EAFE STORAGE, INCLUDING uthorized persons. Keep out of re in storage area. If possible, avoi ally and placed in a vertical positi gislation. eriod: al: ecommended). als: zing agents, acids, alkalis.	s, see section 8. ion 13. y at work. m heat or electrical sources.Do not smoke.Avoid a explosion risks: o a considerable distance, can form explosive mix its flammability, this material should only be used and away from other heat or electrical sources.Do 100* °C (Pensky-Martens) Not applicable (do not sustain combu ical risks: g, wash hands with soap and water. For exposure ental contamination: e case of accidental spillage, follow the instruction 5 ANY INCOMPATIBILITIES: each of children. This product should be stored iso id direct contact with sunlight. In order to avoid lea	tures with air and are able to rea in areas from which all naked o not smoke. CLP 2.6.4.3. ustion). controls and personal protection as indicated in section 6.
5.4 ECTION 7.1	in a closed container. REFERENCE TO OT For contact information For information on safe For exposure controls a For waste disposal, follo 7: HANDLING AND STO PRECAUTIONS FOR Comply with the existing - General recommend Use in areas free from s escape.Keep the contai - Recommendations fr Vapours are heavier that distant ignition sources lights and other sources lights and other sources Flashpoint Autoignition temperature - Recommendations fr Do not eat, drink or smo measures, see section 8 - Recommendations fr # It is not considered a 6 CONDITIONS FOR S Forbid the entry to unau sources. Do not smoke should be closed carefur - Class of store: According to current leg - Maximum storage per 12 Months. - Temperature intervar min:5 °C, max:40 °C (re - Incompatible materias # Keep away from oxidi: - Type of packaging: According to current leg - Limit quantity (Seves	HER SECTIONS: in case of emergency, see section handling, see section 7. and personal protection measure ow the recommendations in sect ORAGE SAFE HANDLING: g legislation on health and safety dations: sources of ignition and away from iner tightly closed. for the prevention of fire and e an air, may spread along floors to and flame up or explode.Due to s of ignition have been excluded e: for the prevention of toxicologic back while handling.After handling 8. for the prevention of environm danger to the environment. In the CAFE STORAGE, INCLUDING thorized persons. Keep out of re in storage area. If possible, avoi ally and placed in a vertical positi gislation. eriod: di: ecommended). als: izing agents, acids, alkalis. gislation. so III): Directive 2012/18/EU:	s, see section 8. ion 13. y at work. m heat or electrical sources.Do not smoke.Avoid a explosion risks: o a considerable distance, can form explosive mix its flammability, this material should only be used and away from other heat or electrical sources.Do 100* °C (Pensky-Martens) Not applicable (do not sustain combu ical risks: g, wash hands with soap and water. For exposure ental contamination: e case of accidental spillage, follow the instruction 5 ANY INCOMPATIBILITIES: each of children. This product should be stored iso id direct contact with sunlight. In order to avoid lea	tures with air and are able to rea in areas from which all naked o not smoke. CLP 2.6.4.3. ustion). controls and personal protection as indicated in section 6.
.4 CTION .1	in a closed container. REFERENCE TO OT For contact information For information on safe For exposure controls a For waste disposal, follo 7: HANDLING AND STO PRECAUTIONS FOR Comply with the existing - General recommend Use in areas free from s escape.Keep the contai - Recommendations for Vapours are heavier that distant ignition sources lights and other sources lights and other sources Flashpoint Autoignition temperature - Recommendations for Do not eat, drink or smo measures, see section 8 - Recommendations for # It is not considered a for CONDITIONS FOR S Forbid the entry to unau sources. Do not smoke should be closed carefur - Class of store: According to current leg - Maximum storage per 12 Months. - Temperature interva min:5 °C, max:40 °C (re - Incompatible materia # Keep away from oxidit - Type of packaging: According to current leg	HER SECTIONS: in case of emergency, see section handling, see section 7. and personal protection measure ow the recommendations in sect ORAGE SAFE HANDLING: g legislation on health and safety dations: sources of ignition and away from iner tightly closed. for the prevention of fire and e an air, may spread along floors to and flame up or explode.Due to a sof ignition have been excluded e: for the prevention of toxicologic back while handling.After handling 8. for the prevention of environm danger to the environment. In the tAFE STORAGE, INCLUDING uthorized persons. Keep out of re in storage area. If possible, avoi ally and placed in a vertical positi gislation. eriod: di: ecommended). als: zing agents, acids, alkalis. gislation. so III): Directive 2012/18/EU: for non industrial use).	s, see section 8. ion 13. y at work. m heat or electrical sources.Do not smoke.Avoid a explosion risks: o a considerable distance, can form explosive mix its flammability, this material should only be used and away from other heat or electrical sources.Do 100* °C (Pensky-Martens) Not applicable (do not sustain combu ical risks: g, wash hands with soap and water. For exposure ental contamination: e case of accidental spillage, follow the instruction 5 ANY INCOMPATIBILITIES: each of children. This product should be stored iso id direct contact with sunlight. In order to avoid lea	tures with air and are able to rea in areas from which all naked o not smoke. CLP 2.6.4.3. ustion). controls and personal protection as indicated in section 6.

	Ation (ÈC) No. 1907/2006 and Regundation (ÈC) No. 1907/2006 and Regundation RXI ESENCIA TINTE Code : 7000	, , ,				(20	anguage:
sion: 18	Revision: 09/02/2023	Pr	evious revis	ion: 08/02/2023		Date of printing	g: 09/02/20
TION 8: EXPOSUR	E CONTROLS/PERSONAL PRO	TECTION					
If a product or effectiveness made to EN6 exposure to c determination <u>- OCCUPAT</u> Not establishe	AL LIMIT VALUES:	neasures and/or the ne l concerning methods fo ference should be also	cessity to or assesing	use respiratory pro g the exposure by	otective equi inhalation t	uipment. Reference to chemical agents	e should , and
- DERIVED Derived no-ef included in RI recommender health, the OF	NO-EFFECT LEVEL (DNEL): fect level (DNEL) is a level of expo EACH. DNEL values may differ fro d by a particular company, a gover EL values are derived by a process	m a occupational expos rnment regulatory agen s different of REACH.	sure limit (OEL) for the same ganization of expe	e chemical.	OEL values may c gh considered prot	ome
	-EFFECT LEVEL, WORKERS:-	DNEL Inhalation mg/m3		DNEL Cutaneous mg/kg bw/d		DNEL Oral mg/kg bw/d	
	s, acute and chronic: and oleyl phosphate ethoxylated	- (a)	- (C)	- (a)	- (c)	– (a)	- (c)
Reaction mass	of 5-chloro-2-methyl-2H-isothiazolin-3 0-7] and 2-methyl-2H-isothiazol-3-one	3 (a)	- (c)	- (a)	- (c)	- (a)	- (c)
1,2-benzisothia	. ,	- (a)	- (c)	- (a)	- (c)	- (a)	- (c)
- DERIVED NC effects, acute a	-EFFECT LEVEL, WORKERS:- Local nd chronic:	DNEL Inhalation mg/m3		DNEL Cutaneous mg/cm2		DNEL Eyes mg/cm2	
Reaction mass one [EC 247-50 [EC 220-239-6]	. ,	9	- (c) - (c)	- (a) - (a)	- (c) - (c)	- (a) - (a)	- (c) - (c)
1,2-benzisothia		- (a)	- (c)	- (a)	- (c)	- (a)	- (c)
POPULATION:	-EFFECT LEVEL, GENERAL - Systemic effects, acute and chronic:	DNEL Inhalation mg/m3	()	DNEL Cutaneous mg/kg bw/d		DNEL Eyes mg/kg bw/d	
Reaction mass	 and oleyl phosphate ethoxylated of 5-chloro-2-methyl-2H-isothiazolin-3 i0-7] and 2-methyl-2H-isothiazol-3-one (3:1) 		- (c) - (c)	- (a) - (a)	- (c) - (c)	- (a) - (a)	- (c) - (c)
1,2-benzisothia		- (a)	- (c)	- (a)	- (c)	- (a)	- (c)
- LOCAL EFFE effects, acute a	CTS, ACUTE AND CHRONIC:- Local nd chronic:	DNEL Inhalation mg/m3		DNEL Cutaneous mg/cm2		DNEL Eyes mg/cm2	
Reaction mass	and oleyl phosphate ethoxylated of 5-chloro-2-methyl-2H-isothiazolin-3 0-7] and 2-methyl-2H-isothiazol-3-one (3:1)		- (c) - (c)	- (a) - (a)	- (c) - (c)	- (a) - (a)	- (c)
1,2-benzisothia	. ,	- (a)	- (c)	- (a)	- (c)	- (a)	– (c)
(-) - DNEL no	hort-term exposure, (c) - Chror ot available (without data of reg <u>D NO-EFFECT CONCENTRA</u>	istration REACH).	ated expo	sure.			
AQUATIC OF	ONO-EFFECT CONCENTRATION GANISMS:- Fresh water, marine ermittent release:	N. PNEC Fresh water mg/l		PNEC Marine mg/l		PNEC Intermittent mg/l	
	ine and oleyl phosphate		-		-		-
Reaction ma	ss of 5-chloro-2-methyl-2H- 3-one [EC 247-500-7] and 2- othiazol-3-one [EC 220-239-6]		-		-		-
	hiazol-3(2H)-one		-		-		-
- WASTEWAT AND SEDIME WATER:	ER TREATMENT PLANTS (STP) NTS IN FRESH- AND MARINE	mg/l		PNEC Sediments mg/kg dw/d		PNEC Sediments mg/kg dw/d	
ethoxylated	ine and oleyl phosphate		-		-		-
	ss of 5-chloro-2-methyl-2H- 3-one [EC 247-500-7] and 2- othiazol-3-one [EC 220-239-6]		-		-		-

isa	Val	RXI ESENCIA TINTE ROJO Code : 7000	0					
n: 18	Revis	ion: 09/02/2023		Previous revisi	ion: 08/02/2023		Date of prin	ting: 09/02/202
	othiazol-3(2l	,		-		-		-
		<u>CT CONCENTRATION,</u> ISMS:- Air, soil and	PNEC Air mg/m3		PNEC Soil mg/kg dw/d		PNEC Oral mg/kg dw/d	
	redators and		ing/ins		ing/kg dw/d		ing/kg dw/d	
		eyl phosphate		-		-		-
ethoxylated								
		loro-2-methyl-2H- 247-500-7] and 2-		-		-		-
		-one [EC 220-239-6]						
(3:1)								
1,2-benzisc		⊣)-one e (without data of registra		-		-		-
	E CONTRO							
	RING MEAS							
	of respirate	by the <u>pry system:</u>	de adequate ve e use of local e					e achieved
	<u>of eyes an</u>							
		tall water taps or sources w	ith clean water	close to the w	orking area.			
	<u>of hands a</u> ended to ins	nd skin: tall water taps or sources w	ith clean water	close to the w	orking area Bar	rier creams ma	av heln to prote	ct the
		n.Barrier creams should no						
		OSURE CONTROLS: R	· · · · · · · · · · · · · · · · · · ·	,				
with the corr characteristi	esponding m	n prevention and safety in th narking. For more informati E, protection class, marking E.	on on personal	protective equ	ipment (storage	e, use, cleaning	g, maintenance	, type and
Mask:		# A-type filter mask (b						
		✓ than 65°C (EN14387) ppm, Class 3: high ca						
		class must be selecte	d depending o	n the type ar	nd concentration	on of the cont		
		in accordance with th	1	11 ,	1			
Safety gog	gles:	Safety goggles design ✓ (EN166).Clean daily a manufacturer.						
Face shiel	d:	No.						
Gloves:		Gloves resistant agai						
0		expected, gloves of p min.When short conta should be used, with material should be in example, temperature chemicals is clearly to circumstances and po taken into account.Us surface) to avoid conta any sign of degradation	act with the pro- a breakthrough accordance wite), they do in p ower than the e ossibilities, the act he proper te cact of the proc	oduct is expenditude to the second time >30 m of the pretending th	cted, use glove in.The breakth ided period of eriod of use of tandard EN374 specifications emoving glove	es with a prot rough time of use.There are a protective of 4.Due to the v provided by the s (without tou	ection level 2 f the selected e several facto gloves resista wide variety of he glove supp uching glove s	or higher glove ors (for nt against f lier should l s outer
Boots:		No.						
Apron:		No.						
Clothing:		# No.						
- Thermal h Not applicat ENVIRON Avoid any sp - Spills on t Prevent con - Spills in w	Ne (the produ <u>MENTAL EX</u> billage in the <u>he soil:</u> tamination of <u>ater:</u> v to escape i	LICT is handled at room temp (POSURE CONTROLS: environment. Avoid any rel	ease into the at	mosphere.				

SAFETY DATA SHEET (REACH) In accordance with Regulation (EC) No. 1907/2006 and Regulation (EU) No. 2020/878

rsion:	18 Revi	sion: 09/02/2023	Previous revision: 08/02/2023 Date	of printing: 09/02/20
2	This product contains th 2000/60/EC~2013/39/E Terbutryne. - <u>Emissions to the atm</u>	U:	he list of priority substances in the field of water policy under	Directive
			ndling and use may result. Avoid any release into the atmosp	here.
CTION 9	9: PHYSICAL AND CHE	EMICAL PROPERTIES		
1 <u> </u>	INFORMATION ON B	ASIC PHYSICAL AND CHEMICA	AL PROPERTIES:	
<u> </u>	<u>Appearance</u>			
F	Physical state:		Liquid	
	Colour:		Colourless	
	Odour:		Characteristic	
	Odour threshold:		Not available (mixture).	
	<u>Change of state</u>			
	Melting point:		Not available (mixture).	
	nitial boiling point:		> 100* °C at 760 mmHg	
	- Flammability: Flashpoint		100* °C (Pensky-Martens)	
	_ower/upper flammabilit	a or ovalocivo limite:	Not available	CLP 2.6.4.3.
	Autoignition temperature		Not available Not applicable (do not sustain combustion).	
	Stability	5.	Not applicable (do not sustain combustion).	
1 -	Decomposition tempera	ture:	Not available (technical impossibility to obtain the data).	
F	p <mark>H-value</mark> pH:		8 at 20°C	
	 Viscosity: 			
	Dynamic viscosity:		40 Poise at 20°C	
	Kinematic viscosity:		649,53* mm2/s at 40°C	
	<u>Solubility(ies):</u>			
	Solubility in water		Inmiscible	
	_iposolubility: Partition coefficient: n-o	ctanol/water:	Not applicable (inorganic product). Not applicable (mixture).	
	- Volatility:			
E	Evaporation rate: Density		Not available (lack of data).	
	Relative density:		2,111* at 20/4°C	Relative water
F	Relative vapour density:	:	Not available.	
Ē	Particle characteristics	<u>S</u>		
F	Particle size:		Not applicable.	
=	Oxidizing properties	osive mixtures with air and are able t <u>::</u>	to flame up or explode in presence of an ignition source.	
	Not classified as oxidizir	ng product. d on the substances composing the	miytura	
	OTHER INFORMATIC		instaro.	
_		physical hazard classes		
	No additional informatio			
	Other security feature	S:		
	VOC (supply):		0,1 % Weight	
9			1,8 g/l	
	VOC (supply):		68,29 * % Weight	1h. 60ºC
	VOC (supply): Nonvolatile:		-	

Г

\prec	isava	RXI ESENCIA TINTE ROJO Code : 7000	C		
Version	i: 18 Revi	sion: 09/02/2023	Previous revision	n: 08/02/2023	Date of printing: 09/02/2023
SECTION	10: STABILITY AND RE	ACTIVITY			
10.1	REACTIVITY:				
	- Corrosivity to metals				
	It is not corrosive to met				
	- Pyrophorical propert	ties:			
10.0	It is not pyrophoric. CHEMICAL STABILIT	V.			
10.2		<u>r.</u> ded storage and handling co	anditions		
10.3		ARDOUS REACTIONS:			
10.0		action with oxidizing agents	, acids, alkalis.		
10.4	CONDITIONS TO AVO				
	- Heat:				
	# Keep away from heat.				
	<u>- Light:</u>				
	If possible, avoid direct o	contact with sunlight.			
	- <u>Air:</u> The product is not affect	ed by exposure to air, but st	nould not be left the containers	onen	
	- Pressure:		iouid not be left the containers	open.	
	Not relevant.				
	- Shock:				
	The product is not sensi	tive to shocks, but as a reco	mmendation of a general natur	e should be avoided bumps ar	nd rough handling to avoid
10.5	INCOMPATIBLE MAT		the product is handled in large	quantities, and during loading	and download operations.
10.5		<u>ERIALS.</u> zing agents, acids, alkalis.			
10.6		MPOSITION PRODUCTS:			
10.0			us products may be produced:	nitrogen oxides, sulfur oxides,	hydrochloric acid,
	halogenated compounds		, , ,	0 , ,	, ,
SECTION	I 11: TOXICOLOGICAL I				
	No experimental toxico	ological data on the prepa	ration is available. The toxic	ological classification for the	se mixture has been
11.1			ention of the Regulation (I EFINED IN REGULATION (I		19 (ULP).
11.1	ACUTE TOXICITY:			<u>_0) NO 1272/2000 .</u>	
	Dose and lethal conce	ntrations	DL50 (OECD401)	DL50 (OECD402)	CL50 (OECD403)
	for individual ingredien		mg/kg bw Oral	mg/kg bw Cutaneous	mg/m3·4h Inhalation
	Cocoalkylamine and o	leyl phosphate	> 2000 Rat		
	ethoxylated				
	Reaction mass of 5-ch		74,9 Rat	140 Rat	> 1230 Rat
	isothiazolin-3-one [EC methyl-2H-isothiazol-3				
	(3:1)				
	1,2-benzisothiazol-3(2	H)-one	1020 Rat	> 2000 Rat	> 2050 Rat
	Estimates of acute tox	icity (ATE)	ATE	ATE	ATE
	for individual ingredien		mg/kg bw Oral	mg/kg bw Cutaneous	mg/m3·4h Inhalation
	Reaction mass of 5-ch		74,9	140	*> 50
	isothiazolin-3-one [EC methyl-2H-isothiazol-3				
	(3:1)				
	1,2-benzisothiazol-3(2	H)-one	*567	-	-
			to the classification category (s		
			n of a mixture based on its con		
	are ignored.	al ale assumed to have no a	cute toxicity at the upper thres	noid of category 4 for the corre	sponding exposure route
	- No observed adverse	e effect level			
	Not available				
	- Lowest observed adv	verse effect level			
	Not available				
		KELY ROUTES OF EXPO	DSURE: ACUTE TOXICITY:		
	Routes of exposure	Acute toxicity	Cat.	Main effects, acute and/or de	layed Criteria
	Inhalation:	ATE > 20000 n	ng/m3 -	Not classified as a product wi	
	Not classified			if inhaled (based on available	
				classification criteria are not r	nei).

Date of printing: 09/02/2023



Version: 18

RXI ESENCIA TINTE ROJO Code : 7000

Revision: 09/02/2023

Previous revision: 08/02/2023

Skin: Not classified	ATE > 5000 mg/kg bw	-	Not classified as a product with acute toxicity GHS in contact with skin (based on available data, 3.1.3 the classification criteria are not met).
Eyes: Not classified	Not available.	-	Not classified as a product with acute toxicity GHS by eye contact (lack of data).
Ingestion: Not classified	ATE > 5000 mg/kg bw	-	Not classified as a product with acute toxicity GHS if swallowed (based on available data, the 3.1.3 classification criteria are not met).

GHS/CLP 3.1.3.6: Classification of mixtures based on ingredients of the mixture (additivity formula).

CORROSION / IRRITATION / SENSITISATION :

Danger class	Target organs	Cat.	Main effects, acute and/or delayed	Criteria
 Respiratory corrosion/irritation: Not classified 	-	-	Not classified as a product corrosive or irritant by inhalation (based on available data the classification criteria are not met).	GHS/CLP ,1.2.6. 3.8.3.4.
- Skin corrosion/irritation: Not classified	-	-	Not classified as a product corrosive or irritant in contact with skin (based on available data, the classification criteria are not met).	GHS/CLP 3.2.3.3.
- Serious eye damage/irritation: Not classified	-	-	Not classified as a product corrosive or irritant in contact with eyes (based on available data, the classification criteria are not met).	GHS/CLP 3.3.3.3.
- Respiratory sensitisation: Not classified	-	-	Not classified as a product sensitising by inhalation (based on available data, the classification criteria are not met).	GHS/CLP 3.4.3.3.
- Skin sensitisation: Not classified	-	-	Not classified as a product sensitising by skir contact (based on available data, the classification criteria are not met).	GHS/CLP 3.4.3.3.

GHS/CLP 3.2.3.3: Classification of the mixture when data are available for all components or only for some components. GHS/CLP 3.3.3.3: Classification of the mixture when data are available for all components or only for some components. GHS/CLP 3.4.3.3: Classification of the mixture when data are available for all components or only for some components. GHS/CLP 3.8.3.4: Classification of the mixture when data are available for all components or only for some components.

- ASPIRATION HAZARD:

Danger class	Target organs	Cat.	Main effects, acute and/or delayed	Criteria
- Aspiration hazard: Not classified	-		1 5	GHS/CLP 3.10.3.3.

GHS/CLP 3.10.3.3: Classification of the mixture when data are available for all components or only for some components.

SPECIFIC TARGET ORGANS TOXICITY (STOT): Single exposure (SE) and/or Repeated exposure (RE):

Not classified as a dangerous product for target organs.

GHS/CLP 3.8.3.4: Classification of the mixture when data are available for all components or only for some components.

CMR EFFECTS:

- Carcinogenic effects:

It is not considered as a carcinogenic product.

- Genotoxicity:

It is not considered as a mutagenic product.

- Toxicity for reproduction:

Does not harm fertility.Does not harm the unborn child.

- Effects via lactation:

Not classified as a hazardous product for children breast-fed.

DELAYED AND IMMEDIATE EFFECTS AS WELL AS CHRONIC EFFECTS FROM SHORT AND LONG-TERM EXPOSURE: Routes of exposure

May be absorbed by inhalation of vapour, through the skin and by ingestion.

- Short-term exposure:

					(Language.E
\prec	isaval	RXI ESENCIA TINTE RC Code : 7000	OIO		
ersion:	: 18 Revi	sion: 09/02/2023	Previous revision:	08/02/2023	Date of printing: 09/02/202
	as mucous membrane a the eyes may cause irrit described in the exposu fine particles are skin ar - Long-term or repeate Repeated or prolonged through the skin.	nd respiratory system irrit ation and reversible dama re to vapours.Causes burn d respiratory tract irritant ed exposure: contact may cause remov	ccess of the stated occupational ex ation and adverse effects on kidne ige.If swallowed, may cause irritations to the skin or eyes by direct con s.Causes serious eye damage. al of natural fat from the skin, resul	ys, liver and central nervous s on of the throat; other effects r tact or to the digestive tract if	system.Liquid splashes in may be the same as swallowed.The mists of
		JT TOXICOCINETICS.	METABOLISM AND DISTRIBU	TION:	
	 <u>Dermal absorption:</u> Not available. <u>Basic toxicokinetics:</u> Not available. 				
	ADDITIONAL INFORM	MATION:			
	weight:Terbutryne, 2,2-d	oroperties:	disrupting properties identified or u e (DBNPA).	nder evaluation in a concentra	ation of less than 0.1% b
	Other information: No additional information	n available.			
CTION	12: ECOLOGICAL INFO	RMATION			
	mixture has been carri (CLP).		preparation as such is available ventional calculation method of		
	TOXICITY: - Acute toxicity in aqua for individual ingredier		CL50 (OECD 203) mg/l·96hours	CE50 (OECD 202) mg/l·48hours	CE50 (OECD 20 mg/l·72hou
	Reaction mass of 5-ch isothiazolin-3-one [EC	loro-2-methyl-2H- 247-500-7] and 2-	0.19 - Fishes	0.16 - Daphniae	0.037 - Alga
		-one [EC 220-239-6]			
	methyl-2H-isothiazol-3 (3:1) 1,2-benzisothiazol-3(2		1.2 - Fishes	0.85 - Daphniae	0.37 - Alga
	(3:1)	H)-one	NOEC (OECD 210)	NOEC (OECD 211)	0.37 - Alga NOEC (OECD 20
	(3:1) 1,2-benzisothiazol-3(2	H)-one oncentration loro-2-methyl-2H- 247-500-7] and 2-			NOEC (OECD 20 mg/l · 72 hou
	(3:1) 1,2-benzisothiazol-3(2 - No observed effect c Reaction mass of 5-ch isothiazolin-3-one [EC methyl-2H-isothiazol-3 (3:1) - Lowest observed effe Not available <u>ASSESSMENT OF AC</u>	H)-one oncentration loro-2-methyl-2H- 247-500-7] and 2- -one [EC 220-239-6] ect concentration	NOEC (OECD 210) mg/l · 28 days 0.02 - Fishes	NOEC (OECD 211) mg/l · 21 days 0.011 - Daphniae	NOEC (OECD 20 mg/l · 72 hou 0.004 - Alga
	(3:1) 1,2-benzisothiazol-3(2 - No observed effect c Reaction mass of 5-ch isothiazolin-3-one [EC methyl-2H-isothiazol-3 (3:1) - Lowest observed effe Not available <u>ASSESSMENT OF AC</u> Aquatic toxicity	H)-one oncentration loro-2-methyl-2H- 247-500-7] and 2- -one [EC 220-239-6] ect concentration QUATIC TOXICITY: Cat. M	NOEC (OECD 210) mg/l · 28 days 0.02 - Fishes	NOEC (OECD 211) mg/l · 21 days 0.011 - Daphniae	NOEC (OECD 20 mg/l · 72 hou 0.004 - Alga
	(3:1) 1,2-benzisothiazol-3(2 - No observed effect c Reaction mass of 5-ch isothiazolin-3-one [EC methyl-2H-isothiazol-3 (3:1) - Lowest observed effe Not available <u>ASSESSMENT OF AC</u>	H)-one Oncentration Ioro-2-methyl-2H- 247-500-7] and 2one [EC 220-239-6] Concentration QUATIC TOXICITY: Cat. M ty: - No	NOEC (OECD 210) mg/l · 28 days 0.02 - Fishes ain hazards to the aquatic environr ot classified as a hazardous produc ased on available data, the classifi ot classified as a dangerous produc	NOEC (OECD 211) mg/l · 21 days 0.011 - Daphniae 0.011 - Daphniae	NOEC (OECD 20 mg/l · 72 hour 0.004 - Alga Criteria Criteria
	(3:1) 1,2-benzisothiazol-3(2 - No observed effect c Reaction mass of 5-ch isothiazolin-3-one [EC methyl-2H-isothiazol-3 (3:1) - Lowest observed effect Not available <u>ASSESSMENT OF AC</u> Aquatic toxicity - Acute aquatic toxicity: Not classified	H)-one Oncentration Ioro-2-methyl-2H- 247-500-7] and 2one [EC 220-239-6] Concentration CUATIC TOXICITY: Cat. M	NOEC (OECD 210) mg/l · 28 days 0.02 - Fishes ain hazards to the aquatic environr ot classified as a hazardous produc ased on available data, the classifi	NOEC (OECD 211) mg/l · 21 days 0.011 - Daphniae 0.011 - Daphniae	NOEC (OECD 20 mg/l · 72 hou 0.004 - Alga Criteria Criteria
	(3:1) 1,2-benzisothiazol-3(2 - No observed effect c Reaction mass of 5-ch isothiazolin-3-one [EC methyl-2H-isothiazol-3 (3:1) - Lowest observed effe Not available <u>ASSESSMENT OF AC</u> Aquatic toxicity - Acute aquatic toxicity: Not classified - Chronic aquatic toxici CLP 4.1.3.5.5.3: Classifi	H)-one Oncentration Ioro-2-methyl-2H- 247-500-7] and 2one [EC 220-239-6] Cat. M	NOEC (OECD 210) mg/l · 28 days 0.02 - Fishes ain hazards to the aquatic environr ot classified as a hazardous produc ased on available data, the classifi ot classified as a dangerous produc th long lasting effects (based on av	NOEC (OECD 211) mg/l · 21 days 0.011 - Daphniae 0.011 - Daphniae	NOEC (OECD 20 mg/l · 72 hour 0.004 - Alga Criteria Criteria Clife GHS/CLP 4.1.3.5.5.3. tic life GHS/CLP 4.1.3.5.5.4.
2.2	(3:1) 1,2-benzisothiazol-3(2 - No observed effect c Reaction mass of 5-ch isothiazolin-3-one [EC methyl-2H-isothiazol-3 (3:1) - Lowest observed effe Not available <u>Assessment of Ac</u> Aquatic toxicity - Acute aquatic toxicity: Not classified - Chronic aquatic toxicity: CLP 4.1.3.5.5.3: Classifi CLP 4.1.3.5.5.4: Classifi PERSISTENCE AND	H)-one Oncentration Ioro-2-methyl-2H- 247-500-7] and 2one [EC 220-239-6] Cat. M	NOEC (OECD 210) mg/l · 28 days 0.02 - Fishes 0.02 - Fishes ot classified as a hazardous product ased on available data, the classified ot classified as a dangerous product th long lasting effects (based on av- e not met).	NOEC (OECD 211) mg/l · 21 days 0.011 - Daphniae 0.011 - Daphniae	NOEC (OECD 20 mg/l · 72 hour 0.004 - Alga Criteria Criteria Clife GHS/CLP 4.1.3.5.5.3. tic life GHS/CLP 4.1.3.5.5.4.
12.2	(3:1) 1,2-benzisothiazol-3(2 - No observed effect c Reaction mass of 5-ch isothiazolin-3-one [EC methyl-2H-isothiazol-3 (3:1) - Lowest observed effe Not available <u>ASSESSMENT OF AC</u> Aquatic toxicity - Acute aquatic toxicity: Not classified - Chronic aquatic toxici CLP 4.1.3.5.5.3: Classifi CLP 4.1.3.5.5.4: Classifi	H)-one H)-one	NOEC (OECD 210) mg/l · 28 days 0.02 - Fishes 0.02 - Fishes ot classified as a hazardous product ased on available data, the classified ot classified as a dangerous product th long lasting effects (based on av- e not met).	NOEC (OECD 211) mg/l · 21 days 0.011 - Daphniae 0.011 - Daphniae	NOEC (OECD 20 mg/l · 72 hour 0.004 - Alga Criteria Criteria Clife GHS/CLP 4.1.3.5.5.3. tic life GHS/CLP 4.1.3.5.5.4.

Version	n: 18 Revi	sion: 09/02/2023	Previous revisio	n: 08/02/2023	Date of printing: 09/02/2023
	Reaction mass of 5-ch isothiazolin-3-one [EC methyl-2H-isothiazol-3 (3:1)	247-500-7] and 2-		{	55 Not easy
	1,2-benzisothiazol-3(2	H)-one			- Not eas
	<u>- Hydrolysis:</u> Not available. <u>- Photodegradability:</u> Not available.		ge of data from various bibliogra	aphic sources.	
12.3	BIOACCUMULATIVE Not available.	POTENTIAL:			
	Bioaccumulation		logPow	BC L/k	
	for individual ingredier Cocoalkylamine and o			L/K	Not available
	ethoxylated	ioji prioopriato			The available
	Reaction mass of 5-ch isothiazolin-3-one [EC methyl-2H-isothiazol-3 (3:1)	247-500-7] and 2-	0.75	3.2 (calculate	d) Unlikely, lov
	1,2-benzisothiazol-3(2	H)-one	0.64	3.2 (calculate	d) Unlikely, lov
12.4	MOBILITY IN SOIL:				·
	Not available Mobility for individual ingredier	ite	log Poc	Constant of Hen Pa·m3/mol 20%	
	Reaction mass of 5-ch isothiazolin-3-one [EC methyl-2H-isothiazol-3	loro-2-methyl-2H- 247-500-7] and 2-	0,45		Unlikely, lo
	(3:1) 1,2-benzisothiazol-3(2	H)-one	1,05		Unlikely, lov
12.5	RESULTS OF PBT AN	-	(Annex XIII of Regulation (EC	<u>C) no. 1907/2006:)</u>	
12.6	ENDOCRINE DISRUF	Ibstances with endocrine d	isrupting properties identified or	under evaluation in a conc	entration of less than 0.1% by
12.7	weight:Terbutryne, 2,2-d	libromo-2-cyanoacetamide	(DBNPA).		
	- Ozone depletion pote				
	Not available. - Photochemical ozon	e creation notential:			
	Not available.	e creation potential.			
	- Earth global warming	<u>potential:</u>			
FOTION	Not available.				
13.1	N 13: DISPOSAL CONSID		008/98/EC~Regulation (EU) n	0 1357/2014	
	Take all necessary meas Do not discharge into dr accordance with current	sures to prevent the produc ains or the environment, di local and national regulation tainers:Directive 94/62/E	tion of waste whenever possible spose at an authorised waste cons. For exposure controls and <u>C~2015/720/EU</u> , <u>Decision 20</u> sed in accordance with current	e. Analyse possible method ollection point. Waste shoul personal protection measur 000/532/EC~2014/955/EL	d be handled and disposed in res, see section 8. <u>J:</u> ions.The classification of due responsible for their
	packaging as hazardous	waste will depend on the			in all all attin attin in \A/ith
	packaging as hazardous classification, in accorda contaminated containers	waste will depend on the once with Chapter 15 01 of	Decision 2000/532/EC, and forv same measures as for the prod		nai desunation. With

\mathbf{r}		RXI ESENCIA TINTE ROJO Code : 7000		
Versior	n: 18 Rev	ision: 09/02/2023	Previous revision: 08/02/2023	Date of printing: 09/02/20
ECTIO	N 14: TRANSPORT INFC			
14.1	UN NUMBER OR ID	NUMBER:		
	Not applicable			
14.2	UN PROPER SHIPPI	<u>NG NAME:</u>		
44.0	Not applicable			
14.3	Transport by road (AE	· · · · · ·		
	Transport by road (AL			
	No reglamented			
	Transport by sea (IMI	<u>DG 39-18):</u>		
	No reglamented			
	Transport by air (ICA)	<u> O/IATA 2021):</u>		
	No reglamented			
	Transport by inland w	<u>aterways (ADN):</u>		
111	No reglamented PACKING GROUP:			
14.4	No reglamented			
14.5	ENVIRONMENTAL H	IAZARDS [.]		
14.0		assified as hazardous for the env	vironment).	
14.6	SPECIAL PRECAUTI			
			t to do in case of accident or spill. Always transpor	rt in closed containers that are
		sure adequate ventilation.		
14.7		ORT IN BULK ACCORDING 1	<u>FO IMO INSTRUMENTS:</u>	
	Not applicable.			
ECTION	N 15: REGULATORY INF			
15.1			JLATIONS/LEGISLATION SPECIFIC FOR TH	IE SUBSTANCE OR MIXTUR
			listed throughout this Safety Data Sheet.	
		facture, placing on market and	d use:	
	See section 1.2			
	Tactile warning of dar	sification criteria are not met).		
	Child safety protection			
		sification criteria are not met).		
	OTHER REGULATIO			
	Control of the risks in	herent in major accidents (Se	veso III):	
	See section 7.2			
	Other local legislation			
			al regulations applicable to the chemical.	
15.2	CHEMICAL SAFETY		e	
	A chemical safety asses	ssment has not been carried out	for this mixture.	

SAFET In accorda	Y DATA SHEET ance with Regulation (Page 12/12 (Language:EN)				
\prec	isava	RXI ESENCIA TINTE RC Code : 7000	οιο			
Version	n: 18 I	Revision: 09/02/2023	Previous revision: 08/02/2023	Date of printing: 09/02/2023		
SECTION	N 16 : OTHER INFOR	RMATION				
16.1			ERENCED IN SECTIONS 2 AND/OR 3:			
	Hazard statements according the Regulation (EU) No. 1272/2008~2021/849 (CLP), Annex III: H301 Toxic if swallowed. H302 Harmful if swallowed. H310 Fatal in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H330 Fatal if inhaled. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. EUH071 Corrosive t the respiratory tract. Notes related to the identification, classification and labelling of the substances or mixtures: Note B : Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B					
	have a general des solution on the labe	ignation of the following type: ' el. Unless otherwise stated, it is <u>THE INFORMATION ON T</u> 1.1 and 12.1.	assumed that the percentage concentration is HE DANGER OF MIXTURES:	state the percentage concentration of the		
Non-skin sensitizing based on the results of similar mixtures tested in accordance with the bridging principles described in Reg.CLP;OECD 429LLNA(mouse)-non-skin sensitizing–S4565;S4568 ;S5146;S5147 ADVICES ON ANY TRAINING APPROPRIATE FOR WORKERS:						
	It is recommended for all staff that will handle this product to carry out a basic training in occupational risk and prevention, in order to provide understanding and interpretation of Safety Data Sheets and labelling of products as well. <u>MAIN LITERATURE REFERENCES AND SOURCES FOR DATA:</u>					
	 European Chemic Access to Europe 	als Agency: ECHA, http://echa an Union Law, http://eur-lex.eu s Handbook, Ibert Mellan (Noye	.europa.eu/ ropa.eu/			
	· International Mari		je of dangerous goods by road, (ADR 2021). MDG including Amendment 39-18 (IMO, 2018).			
	List of abbreviation	s and acronyms that can be us	ed (but not necessarily used) in this Safety Data	a Sheet:		
	 GHS: Globally Ha CLP: European re EINECS: Europea 	rmonized System of Classification	, Evaluation, Authorisation and Restriction of Ch tion and Labelling of Chemicals of the United N lling amd Packaging of substances and chemic ercial Chemical Substances.	ations.		
	CAS: Chemical A UVCB: Substance SVHC: Substance	ostracts Service (Division of the	e American Chemical Society). position, complex reaction products or biologica	al materials.		
	 vPvB: Very persis VOC: Volatile Org 	tent and very bioaccumulable s				
	• PNEC: Predicted • LC50: Lethal cond • LD50: Lethal dose	No-Effect Concentration (REA) centration, 50 percent. e, 50 percent.	CH).			
	 RID: Regulations IMDG: Internation IATA: International 	greement concerning the interr concerning the international tra al Maritime code for Dangerou I Air Transport Association.	national carriage of dangeous goods by road. ansport of dangeous goods by rail. s Goods.			
	SAFETY DATA S	al Civil Aviation Organization. HEET REGULATIONS: in accordance with Article 31 o	f Regulation (EC) No. 1907/2006 (REACH) and	Annex of Regulation (EU) No. 2020/878.		
	HISTORIC: Version: 15 Version: 16	REVISION: 08/04/2020 03/01/2023				
	Version: 17 Version: 18	08/02/2023 09/02/2023				
	Legislative, context identified by #.		and normative changes since the previous vers			
condition handling legislatio	sare beyond our kno instruction. It is alwa	wledge and control. The produ ys the responsibility of the user this Safety Data Sheet is mean	esent state of knowledge and on current UE an ct is not to be used for other purposes than thos to take all necessary steps in order to fulfil the t as a description of the safety requirements of	se specified, without first obtaining written demand laid down in the local rules and		
u gudi						