\square	isa	pinturas	Code : 7014		
Version	n: 17	Revi	sion: 10/02/2023	Previous revision: 05/01/2023	Date of printing: 10/02/202
nixtures.	This produc	t does not me	on (EC) No. 1907/2006 (REACH), et the classification criteria of Reg rements regarding the content of e	a safety data sheet (SDS) must be provi ulation (EC) No. 1272/2008 (CLP).There each section are not applicable.	ded for dangerous substances or fore, this document is outside the scope
ECTION	1: IDENTI	FICATION OF	THE SUBSTANCE/MIXTURE AN	ID OF THE COMPANY/UNDERTAKING	i de la companya de l
1.1	PRODUC		ER:		
	-	IA TINTE OC	RE		
1.2	Code : 701			E OR MIXTURE AND USES ADVIS	ED AGAINST:
1.2				ustrial [X] Professional [X] Consume	
		paste for tint	, <u></u>		<u></u>
	Sectors o				
	Consumer	uses (SU21) al uses (SU2)	2)		
		ised against:			
	# None.As	there is not c	lassified as dangerous, this produ	ct can be used in ways other than the ide	entified uses, but all uses have to be
			y guidelines provided.		
	Restrictio		acture, placing on market and u	ise, according to Annex XVII of Regu	<u>llation (EC) No. 1907/2006:</u>
1.3			PPLIER OF THE SAFETY DAT	A SHEFT	
1.5		S ISAVAL, S.I		<u>Noneen</u>	
			1- P.I. Casanova - 46394 Ribarroja	. ,	
			1640001 - Fax: +34 96 1640002 -		
		ddress of the cliente@isava	e person responsible for the Sa	tety Data Sheet:	
1.4		-	PHONE NUMBER:		
1.4		40001 8:00-18			
ECTION	N 2 : HAZAR	DS IDENTIFI	CATION		
2.1	#CLASSI	FICATION C	F THE SUBSTANCE OR MIXT	URE:	
	This produ	ict is not class	ified as dangerous, in accordance	with Regulation (EU) No. 1272/2008~20	021/849 (CLP).
	under ordi	nary condition		ccording to the Regulation (EC) no. 202 chemical, health safety or environmental	
2.2		ELEMENTS:			
				vith Regulation (EU) No. 1272/2008~202	21/849 (CLP).
	#- Hazard	statements:			
	None.				
	#- Precau P102	tionary state	Keep out of reach of children.		
	P262		Do not get in eyes, on skin, or on	clothing.	
	P271		Use only outdoors or in a well-ver	itilated area.	
	P273		Avoid release to the environment.		
	EUH208	nentary state)-one, Reaction mass of 5-chloro-2-meth	NU-2H-isothiazolin-3-one IEC 247-500-71
	2011200			[EC 220-239-6] (3:1). May produce an a	
			tribute to classification:		
			qual to or higher than the limit for t	he name.	
2.3		<u>IAZARDS:</u>	sult in classification but which ma	w contribute to the overall bazards of the	mixture
		nysicochemic		y contribute to the overall hazards of the	mixture.
			se effects are known.		
			n health effects:		
	-	-		wsiness. Prolonged contact may cause	skin dryness.
		•	<u>onmental effects:</u> nces that fulfil the PBT/vPvB crite	ia	
		e disrupting p		ю.	
				g properties identified or under evaluatio	on in a concentration of less than 0.1% b
			libromo-2-cyanoacetamide (DBNP		

rsion	: 17 Rev	rision: 10/02/2023 Previous re	evision: 05/01/2023	Date of printing: 10/02/2
TION	3: COMPOSITION/INF	ORMATION ON INGREDIENTS		
1	SUBSTANCES:			
	Not applicable (mixture	e).		
2	MIXTURES:	-		
	This product is a mixtu Chemical description			
		ide oxide, Pigment Yellow 42 in aqueous media.		
	HAZARDOUS INGRI			
ŀ		in a percentage higher than the exemption limit: 1,2-benzisothiazol-3(2H)-one		CLP00 Skin Sens. 1, H3
	$\wedge \Diamond \Diamond$	CAS: 2634-33-5, EC: 220-120-9		CLF00 0km 0cm3 1, 10 C≥0,0
	$\vee \vee \vee$	CLP: Danger: Acute Tox. (oral) 4:H302 (ATE=567 mg/kg Eye Dam. 1:H318 Skin Sens. 1:H317 Aquatic Acute 1	g) Skin Irrit. 2:H315	
F		Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3-o		ATP13 Skin Corr. 1C, H3
		and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1)		C ≥0, Skin Irrit. 2, H3
		CAS: 55965-84-9, EC: 611-341-5) 2.4210 Aquita Tay	0,06 % ≤ C < 0,
		CLP: Danger: Acute Tox. (inh.) 2:H330 Acute Tox. (skir (oral) 3:H301 Skin Corr. 1C:H314 Eye Dam. 1:H318	Aquatic Acute	Eye Dam. 1, H3 C ≥0,
		1:H400 (M=100) Aquatic Chronic 1:H410 (M=100) EU	JH071 Skin Sens.	Eye Irrit. 2, H3 0,06 % ≤ C < 0,
		1A:H317 (Note B)		Skin Sens. 1A, H3 C ≥0,001
F	Impurities:			
		components or impurities which will influence the classi	ification of the product.	
	<u>Stabilizers:</u>			
	None. Reference to other se	ections:		
		see sections 8, 11, 12 and 16.		
		<u> 'ERY HIGH CONCERN (SVHC):</u>		
	List updated by ECHA			000
	None.	ubject to authorisation, included in Annex XIV of Re	gulation (EC) no. 1907/20	<u>006:</u>
		andidate to be included in Annex XIV of Regulation	(EC) no. 1907/2006:	
	None.			
	PERSISTENT, BIOA SUBSTANCES:	CCUMULABLE AND TOXIC PBT, OR VERY PERS	ISTENT AND VERY BIO	ACCUMULABLE VPVB
		ances that fulfil the PBT/vPvB criteria.		
	4: FIRST AID MEASUR	RES		
1	DESCRIPTION OF F	IRST AID MEASURES:		
	# Symptoms m	ay occur after exposure, so that in case of direct exposutention.Never give anything by mouth to an unconsciou	ure to the product, when in c	doubt, or when symptoms persi
	seek medical a	terition. Never give anything by mouth to an unconsciou	is person.	
	Route of exposure	Symptoms and effects, acute and delayed	Description of first-aid	measures
	Inhalation:	# It is not expected that symptoms will occur und	ler # Should there be any	symptoms, transfer the person
		normal conditions of use.	affected to the open air	r.
	Skin:	# Prolonged contact may cause skin dryness.		ed clothing.Wash thoroughly the ty of cold or lukewarm water ar
			neutral soap, or use a	
	Eyes:	Contact with the eyes produces redness and pai		s.Rinse eyes copiously by
				clean, fresh water, holding the persists, consult a physician.
		# If swallowed in high doses, may cause	# Do not induce vomit	ing, due to the risk of
	Ingestion:	# If swallowed in high doses, may cause	aspiration.Keep the pa	tient at rest.
		gastrointestinal disturbances.		
2	MOST IMPORTANT	gastrointestinal disturbances. SYMPTOMS AND EFFECTS, BOTH ACUTE AND		
2	MOST IMPORTANT The main symptoms ar	gastrointestinal disturbances. <u>SYMPTOMS AND EFFECTS, BOTH ACUTE AND</u> and effects are indicated in sections 4.1 and 11.1	DELAYED:	=D·
	MOST IMPORTANT The main symptoms ar INDICATION OF AN	gastrointestinal disturbances. SYMPTOMS AND EFFECTS, BOTH ACUTE AND	DELAYED:	<u>=D:</u>
2	MOST IMPORTANT The main symptoms ar INDICATION OF AN Notes to physician:	gastrointestinal disturbances. <u>SYMPTOMS AND EFFECTS, BOTH ACUTE AND</u> and effects are indicated in sections 4.1 and 11.1	DELAYED:	<u>ED:</u>
2	MOST IMPORTANT The main symptoms ar INDICATION OF AN Notes to physician: Treatment should be d Antidotes and contra	gastrointestinal disturbances. <u>SYMPTOMS AND EFFECTS, BOTH ACUTE AND</u> ad effects are indicated in sections 4.1 and 11.1 <u>YIMMEDIATE MEDICAL ATTENTION AND SPEC</u> irected at the control of symptoms and the clinical conditi indications:	DELAYED:	<u>=D:</u>
2	MOST IMPORTANT The main symptoms ar INDICATION OF AN Notes to physician: Treatment should be d	gastrointestinal disturbances. <u>SYMPTOMS AND EFFECTS, BOTH ACUTE AND</u> ad effects are indicated in sections 4.1 and 11.1 <u>YIMMEDIATE MEDICAL ATTENTION AND SPEC</u> irected at the control of symptoms and the clinical conditi indications:	DELAYED:	<u>ED:</u>

r

\mathbf{H}	isava	OI ESENCIA TINTE OCRE Code : 7014		
Versior	n: 17 Revis	sion: 10/02/2023	Previous revision: 05/01/2023	Date of printing: 10/02/2023
SECTION	N 5: FIREFIGHTING MEAS			
5.1	EXTINGUISHING MED			
5.0	Extinguishing powder or			
5.2	As consequence of coml nitrogen oxides, sulfur ox hazard to health.	kides, halogenated compounds, h	NCE OR MIXTORE: hazardous products may be produced: hydrochloric acid.Exposure to combustion	
5.3	ADVICE FOR FIREFIC			
	Depending on magnitude protective glasses or face sheltered position or from Other recommendation	e of fire, heat-proof protective clo e masks and boots.If the fire-proo n a safe distance.The standard E <u>IS:</u>	thing may be required, appropriate indep of protective equipment is not available of N469 provides a basic level of protection sources of heat or fire.Bear in mind the o	or is not being used, combat fire from a n for chemical incidents.
		drains, sewers or water courses.		
SECTION	N 6: ACCIDENTAL RELEA	SE MEASURES		
6.1			MENT AND EMERGENCY PROCED	
0.0		people without protection in oppo	ate, ventilate the area. Do not smoke.Avc osition to the wind direction.	bid direct contact with this product.Avoid
6.2	Avoid contamination of d	lrains, surface or subterranean w	ater and soil.In the case of large scale species in accordance with local regulations.	pills or when the product contaminates
6.3	METHODS AND MATE	ERIAL FOR CONTAINMENT /	AND CLEANING UP:	
	Contain and mop up spill in a closed container.	ls with non-combustible absorber	nt materials (earth, sand, vermiculite, dia	tomaceous earth, etc). Keep the remains
6.4	REFERENCE TO OTH	IER SECTIONS:		
	For information on safe h For exposure controls ar	n case of emergency, see section nandling, see section 7. nd personal protection measures, w the recommendations in sectio	see section 8.	
OFOTION	17. LANDLING AND OTO			
SECTION	N 7: HANDLING AND STO			
7.1	PRECAUTIONS FOR Comply with the existing	SAFE HANDLING: legislation on health and safety a	at work.	
	PRECAUTIONS FOR Comply with the existing - General recommenda Use in areas free from so escape.Keep the contain	SAFE HANDLING: legislation on health and safety a <u>ations:</u> ources of ignition and away from her tightly closed.	heat or electrical sources.Do not smoke.	Avoid any type of leakage or
	PRECAUTIONS FOR Comply with the existing - General recommendar Use in areas free from sc escape.Keep the contain - Recommendations for Vapours are heavier than distant ignition sources are lights and other sources	SAFE HANDLING: legislation on health and safety a <u>ations:</u> purces of ignition and away from her tightly closed. or the prevention of fire and ex h air, may spread along floors to a and flame up or explode.Due to it	heat or electrical sources.Do not smoke. <u>plosion risks:</u> a considerable distance, can form explos s flammability, this material should only b nd away from other heat or electrical sou	sive mixtures with air and are able to reach be used in areas from which all naked urces.Do not smoke.
	PRECAUTIONS FOR Comply with the existing - General recommendat Use in areas free from so escape.Keep the contain - Recommendations for Vapours are heavier than distant ignition sources a	SAFE HANDLING: legislation on health and safety a <u>ations:</u> ources of ignition and away from her tightly closed. or the prevention of fire and ex in air, may spread along floors to a and flame up or explode.Due to it of ignition have been excluded a	heat or electrical sources.Do not smoke. <u>plosion risks:</u> a considerable distance, can form explos s flammability, this material should only b	sive mixtures with air and are able to reach be used in areas from which all naked urces.Do not smoke. CLP 2.6.4.3.
	PRECAUTIONS FOR T Comply with the existing - General recommendar Use in areas free from so escape.Keep the contain - Recommendations for Vapours are heavier than distant ignition sources a lights and other sources Flashpoint Autoignition temperature - Recommendations for	SAFE HANDLING: legislation on health and safety a <u>ations:</u> ources of ignition and away from her tightly closed. or the prevention of fire and ex in air, may spread along floors to a and flame up or explode.Due to it of ignition have been excluded a : or the prevention of toxicologic	heat or electrical sources.Do not smoke. plosion risks: a considerable distance, can form explos s flammability, this material should only b nd away from other heat or electrical sou 100* °C (Pensky-Martens) Not applicable (do not sustair al risks:	sive mixtures with air and are able to reach be used in areas from which all naked urces.Do not smoke. CLP 2.6.4.3. n combustion).
	PRECAUTIONS FOR T Comply with the existing - General recommendar Use in areas free from so escape.Keep the contain - Recommendations for Vapours are heavier than distant ignition sources a lights and other sources Flashpoint Autoignition temperature - Recommendations for Do not eat, drink or smole measures, see section 8	SAFE HANDLING: legislation on health and safety a <u>ations:</u> ources of ignition and away from her tightly closed. or the prevention of fire and ex h air, may spread along floors to a and flame up or explode.Due to it of ignition have been excluded a : or the prevention of toxicologic ke while handling.After handling,	heat or electrical sources.Do not smoke. plosion risks: a considerable distance, can form explos s flammability, this material should only b nd away from other heat or electrical sou 100° °C (Pensky-Martens) Not applicable (do not sustair al risks: wash hands with soap and water. For ex	sive mixtures with air and are able to reach be used in areas from which all naked urces.Do not smoke. CLP 2.6.4.3.
	PRECAUTIONS FOR Comply with the existing - General recommendar Use in areas free from so escape.Keep the contain - Recommendations for Vapours are heavier than distant ignition sources a lights and other sources Flashpoint Autoignition temperature - Recommendations for Do not eat, drink or smol measures, see section 8 - Recommendations for	SAFE HANDLING: legislation on health and safety a <u>ations:</u> ources of ignition and away from her tightly closed. or the prevention of fire and ex in air, may spread along floors to a and flame up or explode.Due to it of ignition have been excluded a :: or the prevention of toxicologic ke while handling.After handling, or the prevention of environme	heat or electrical sources.Do not smoke. plosion risks: a considerable distance, can form explos s flammability, this material should only b nd away from other heat or electrical sou 100° °C (Pensky-Martens) Not applicable (do not sustair al risks: wash hands with soap and water. For ex ntal contamination:	sive mixtures with air and are able to reach be used in areas from which all naked urces.Do not smoke. CLP 2.6.4.3. n combustion). sposure controls and personal protection
	PRECAUTIONS FOR T Comply with the existing - General recommendations Use in areas free from so escape.Keep the contain - Recommendations for Vapours are heavier than distant ignition sources a lights and other sources Flashpoint Autoignition temperature - Recommendations for Do not eat, drink or smol measures, see section 8 - Recommendations for # It is not considered a d	SAFE HANDLING: legislation on health and safety a <u>ations:</u> ources of ignition and away from her tightly closed. or the prevention of fire and ex in air, may spread along floors to a and flame up or explode.Due to it of ignition have been excluded a :: or the prevention of toxicologic ke while handling.After handling, or the prevention of environme	heat or electrical sources.Do not smoke. plosion risks: a considerable distance, can form explos s flammability, this material should only b nd away from other heat or electrical sou 100* °C (Pensky-Martens) Not applicable (do not sustair al risks: wash hands with soap and water. For ex <u>ntal contamination:</u> case of accidental spillage, follow the ins	sive mixtures with air and are able to reach be used in areas from which all naked urces.Do not smoke. CLP 2.6.4.3. n combustion). sposure controls and personal protection
7.1	PRECAUTIONS FOR Comply with the existing - General recommendations Use in areas free from so escape.Keep the contain - Recommendations for Vapours are heavier than distant ignition sources a lights and other sources a lights and other sources Flashpoint Autoignition temperature - Recommendations for Do not eat, drink or smok measures, see section 8 - Recommendations for # It is not considered a d CONDITIONS FOR SA Forbid the entry to unaut sources. Do not smoke in	SAFE HANDLING: legislation on health and safety a <u>ations:</u> ources of ignition and away from her tightly closed. or the prevention of fire and ex h air, may spread along floors to a and flame up or explode.Due to it of ignition have been excluded a : or the prevention of toxicologic ke while handling.After handling, or the prevention of environme langer to the environment. In the AFE STORAGE, INCLUDING a thorized persons. Keep out of rea n storage area. If possible, avoid	heat or electrical sources.Do not smoke. plosion risks: a considerable distance, can form explos s flammability, this material should only b nd away from other heat or electrical sou 100* °C (Pensky-Martens) Not applicable (do not sustain al risks: wash hands with soap and water. For ex <u>ntal contamination:</u> case of accidental spillage, follow the ins <u>ANY INCOMPATIBILITIES:</u> ich of children. This product should be st	sive mixtures with air and are able to reach be used in areas from which all naked urces.Do not smoke. CLP 2.6.4.3. In combustion). Aposure controls and personal protection structions indicated in section 6.
7.1	PRECAUTIONS FOR Comply with the existing - General recommenda Use in areas free from so escape.Keep the contain - Recommendations for Vapours are heavier than distant ignition sources a lights and other sources Flashpoint Autoignition temperature - Recommendations for Do not eat, drink or smol measures, see section 8 - Recommendations for # It is not considered a d CONDITIONS FOR SA Forbid the entry to unaut sources. Do not smoke in should be closed carefull - Class of store: According to current legis	SAFE HANDLING: legislation on health and safety a <u>ations:</u> ources of ignition and away from her tightly closed. or the prevention of fire and ex h air, may spread along floors to a and flame up or explode.Due to it of ignition have been excluded a : or the prevention of toxicologic ke while handling.After handling, or the prevention of environme anger to the environment. In the AFE STORAGE, INCLUDING, thorized persons. Keep out of rea n storage area. If possible, avoid ly and placed in a vertical positio slation.	heat or electrical sources.Do not smoke. plosion risks: a considerable distance, can form explos s flammability, this material should only b nd away from other heat or electrical sou 100* °C (Pensky-Martens) Not applicable (do not sustain al risks: wash hands with soap and water. For ex <u>ntal contamination:</u> case of accidental spillage, follow the ins <u>ANY INCOMPATIBILITIES:</u> ich of children. This product should be st direct contact with sunlight. In order to a	sive mixtures with air and are able to reach be used in areas from which all naked urces.Do not smoke. CLP 2.6.4.3. In combustion). Aposure controls and personal protection structions indicated in section 6.
7.1	PRECAUTIONS FOR Comply with the existing - General recommendations Use in areas free from sc escape.Keep the contain - Recommendations for Vapours are heavier than distant ignition sources at lights and other sources Flashpoint Autoignition temperature - Recommendations for Do not eat, drink or smole measures, see section 8 - Recommendations for # It is not considered a d CONDITIONS FOR SA Forbid the entry to unaut sources. Do not smoke in should be closed carefull - Class of store: According to current legis - Maximum storage pe	SAFE HANDLING: legislation on health and safety a <u>ations:</u> ources of ignition and away from her tightly closed. or the prevention of fire and ex h air, may spread along floors to a and flame up or explode.Due to it of ignition have been excluded a : or the prevention of toxicologic ke while handling.After handling, or the prevention of environme anger to the environment. In the AFE STORAGE, INCLUDING, thorized persons. Keep out of rea n storage area. If possible, avoid ly and placed in a vertical positio slation.	heat or electrical sources.Do not smoke. plosion risks: a considerable distance, can form explos s flammability, this material should only b nd away from other heat or electrical sou 100* °C (Pensky-Martens) Not applicable (do not sustain al risks: wash hands with soap and water. For ex <u>ntal contamination:</u> case of accidental spillage, follow the ins <u>ANY INCOMPATIBILITIES:</u> ich of children. This product should be st direct contact with sunlight. In order to a	sive mixtures with air and are able to reach be used in areas from which all naked urces.Do not smoke. CLP 2.6.4.3. In combustion). Aposure controls and personal protection structions indicated in section 6.
7.1	PRECAUTIONS FOR Comply with the existing - General recommendations Use in areas free from sc escape.Keep the contain - Recommendations for Vapours are heavier than distant ignition sources at lights and other sources Flashpoint Autoignition temperature - Recommendations for Do not eat, drink or smole measures, see section 8 - Recommendations for # It is not considered a d CONDITIONS FOR SA Forbid the entry to unaut sources. Do not smoke in should be closed carefull - Class of store: According to current legis - Maximum storage pe 12 Months.	SAFE HANDLING: legislation on health and safety a <u>ations:</u> ources of ignition and away from her tightly closed. or the prevention of fire and ex h air, may spread along floors to a and flame up or explode.Due to it of ignition have been excluded a : or the prevention of toxicologic ke while handling.After handling, or the prevention of environme anger to the environment. In the AFE STORAGE, INCLUDING, thorized persons. Keep out of rea n storage area. If possible, avoid ly and placed in a vertical positio slation. riod:	heat or electrical sources.Do not smoke. plosion risks: a considerable distance, can form explos s flammability, this material should only b nd away from other heat or electrical sou 100* °C (Pensky-Martens) Not applicable (do not sustain al risks: wash hands with soap and water. For ex <u>ntal contamination:</u> case of accidental spillage, follow the ins <u>ANY INCOMPATIBILITIES:</u> ich of children. This product should be st direct contact with sunlight. In order to a	sive mixtures with air and are able to reach be used in areas from which all naked urces.Do not smoke. CLP 2.6.4.3. In combustion). Aposure controls and personal protection structions indicated in section 6.
7.1	PRECAUTIONS FOR Comply with the existing - General recommendations Use in areas free from sc escape.Keep the contain - Recommendations for Vapours are heavier than distant ignition sources at lights and other sources Flashpoint Autoignition temperature - Recommendations for Do not eat, drink or smole measures, see section 8 - Recommendations for # It is not considered a d CONDITIONS FOR SA Forbid the entry to unaut sources. Do not smoke in should be closed carefull - Class of store: According to current legis - Maximum storage pe 12 Months. - Temperature interval:	SAFE HANDLING: legislation on health and safety a <u>ations:</u> ources of ignition and away from her tightly closed. or the prevention of fire and ex in air, may spread along floors to a and flame up or explode.Due to it of ignition have been excluded a : or the prevention of toxicologic ke while handling.After handling, or the prevention of environme anger to the environment. In the AFE STORAGE, INCLUDING, thorized persons. Keep out of rea in storage area. If possible, avoid ly and placed in a vertical position slation. riod:	heat or electrical sources.Do not smoke. plosion risks: a considerable distance, can form explos s flammability, this material should only b nd away from other heat or electrical sou 100* °C (Pensky-Martens) Not applicable (do not sustain al risks: wash hands with soap and water. For ex <u>ntal contamination:</u> case of accidental spillage, follow the ins <u>ANY INCOMPATIBILITIES:</u> ich of children. This product should be st direct contact with sunlight. In order to a	sive mixtures with air and are able to reach be used in areas from which all naked urces.Do not smoke. CLP 2.6.4.3. In combustion). Aposure controls and personal protection structions indicated in section 6.
7.1	PRECAUTIONS FOR Comply with the existing - General recommendations Use in areas free from sc escape.Keep the contain - Recommendations for Vapours are heavier than distant ignition sources at lights and other sources Flashpoint Autoignition temperature - Recommendations for Do not eat, drink or smole measures, see section 8 - Recommendations for # It is not considered a d CONDITIONS FOR SA Forbid the entry to unaut sources. Do not smoke in should be closed carefull - Class of store: According to current legis - Maximum storage pe 12 Months.	SAFE HANDLING: legislation on health and safety a ations: ources of ignition and away from her tightly closed. or the prevention of fire and ex- h air, may spread along floors to a and flame up or explode.Due to it of ignition have been excluded a : or the prevention of toxicologic: ke while handling.After handling, or the prevention of environmer langer to the environment. In the AFE STORAGE, INCLUDING, thorized persons. Keep out of real n storage area. If possible, avoid ly and placed in a vertical position slation. riod: commended).	heat or electrical sources.Do not smoke. plosion risks: a considerable distance, can form explos s flammability, this material should only b nd away from other heat or electrical sou 100* °C (Pensky-Martens) Not applicable (do not sustain al risks: wash hands with soap and water. For ex <u>ntal contamination:</u> case of accidental spillage, follow the ins <u>ANY INCOMPATIBILITIES:</u> ich of children. This product should be st direct contact with sunlight. In order to a	sive mixtures with air and are able to reach be used in areas from which all naked urces.Do not smoke. CLP 2.6.4.3. In combustion). Aposure controls and personal protection structions indicated in section 6.
7.1	PRECAUTIONS FOR Comply with the existing - General recommenda Use in areas free from sc escape.Keep the contain - Recommendations for Vapours are heavier than distant ignition sources a lights and other sources Flashpoint Autoignition temperature - Recommendations for Do not eat, drink or smol measures, see section 8 - Recommendations for # It is not considered a d CONDITIONS FOR SA Forbid the entry to unaut sources. Do not smoke in should be closed careful - Class of store: According to current legis - Maximum storage pe 12 Months. - Temperature interval: min:5 °C, max:40 °C (rec - Incompatible material # Keep away from oxidiz	SAFE HANDLING: legislation on health and safety a ations: ources of ignition and away from her tightly closed. or the prevention of fire and ex- h air, may spread along floors to a and flame up or explode.Due to it of ignition have been excluded a : or the prevention of toxicologic: ke while handling.After handling, or the prevention of environmer langer to the environment. In the AFE STORAGE, INCLUDING, thorized persons. Keep out of real n storage area. If possible, avoid ly and placed in a vertical position slation. riod: commended).	heat or electrical sources.Do not smoke. plosion risks: a considerable distance, can form explos s flammability, this material should only b nd away from other heat or electrical sou 100* °C (Pensky-Martens) Not applicable (do not sustain al risks: wash hands with soap and water. For ex <u>ntal contamination:</u> case of accidental spillage, follow the ins <u>ANY INCOMPATIBILITIES:</u> ich of children. This product should be st direct contact with sunlight. In order to a	sive mixtures with air and are able to reach be used in areas from which all naked urces.Do not smoke. CLP 2.6.4.3. In combustion). Aposure controls and personal protection structions indicated in section 6.
7.1	PRECAUTIONS FOR Comply with the existing - General recommenda Use in areas free from sc escape.Keep the contain - Recommendations for Vapours are heavier than distant ignition sources a lights and other sources Flashpoint Autoignition temperature - Recommendations for Do not eat, drink or smol measures, see section 8 - Recommendations for # It is not considered a d <u>CONDITIONS FOR SA</u> Forbid the entry to unaut sources. Do not smoke in should be closed carefull - Class of store: According to current legis - Maximum storage pe 12 Months. - Temperature interval: min:5 °C, max:40 °C (ref - Incompatible material # Keep away from oxidiz - Type of packaging:	SAFE HANDLING: legislation on health and safety a ations: ources of ignition and away from her tightly closed. or the prevention of fire and ex- h air, may spread along floors to a and flame up or explode.Due to it of ignition have been excluded a : or the prevention of toxicologic ke while handling.After handling, or the prevention of environme langer to the environment. In the AFE STORAGE, INCLUDING of thorized persons. Keep out of rea n storage area. If possible, avoid ly and placed in a vertical positio slation. riod: commended). ls: ing agents, acids, alkalis.	heat or electrical sources.Do not smoke. plosion risks: a considerable distance, can form explos s flammability, this material should only b nd away from other heat or electrical sou 100* °C (Pensky-Martens) Not applicable (do not sustain al risks: wash hands with soap and water. For ex <u>ntal contamination:</u> case of accidental spillage, follow the ins <u>ANY INCOMPATIBILITIES:</u> ich of children. This product should be st direct contact with sunlight. In order to a	sive mixtures with air and are able to reach be used in areas from which all naked urces.Do not smoke. CLP 2.6.4.3. In combustion). Aposure controls and personal protection structions indicated in section 6.
7.1	PRECAUTIONS FOR Comply with the existing - General recommenda Use in areas free from sc escape.Keep the contain - Recommendations for Vapours are heavier than distant ignition sources a lights and other sources Flashpoint Autoignition temperature - Recommendations for Do not eat, drink or smol measures, see section 8 - Recommendations for # It is not considered a d CONDITIONS FOR SA Forbid the entry to unaut sources. Do not smoke in should be closed careful - Class of store: According to current legis - Maximum storage pe 12 Months. - Temperature interval: min:5 °C, max:40 °C (ref - Incompatible materiaa # Keep away from oxidiz - Type of packaging: According to current legis	SAFE HANDLING: legislation on health and safety a ations: purces of ignition and away from her tightly closed. or the prevention of fire and ex- h air, may spread along floors to a and flame up or explode.Due to it of ignition have been excluded a : or the prevention of toxicologic ke while handling.After handling, or the prevention of environmer langer to the environment. In the AFE STORAGE, INCLUDING, thorized persons. Keep out of real n storage area. If possible, avoid ly and placed in a vertical position slation. riod: : : : : : : : : : : : : :	heat or electrical sources.Do not smoke. plosion risks: a considerable distance, can form explos s flammability, this material should only b nd away from other heat or electrical sou 100* °C (Pensky-Martens) Not applicable (do not sustain al risks: wash hands with soap and water. For ex <u>ntal contamination:</u> case of accidental spillage, follow the ins <u>ANY INCOMPATIBILITIES:</u> ich of children. This product should be st direct contact with sunlight. In order to a	sive mixtures with air and are able to reach be used in areas from which all naked urces.Do not smoke. CLP 2.6.4.3. In combustion). Aposure controls and personal protection structions indicated in section 6.
7.1	PRECAUTIONS FOR Comply with the existing - General recommendations Use in areas free from so escape. Keep the contain - Recommendations for Vapours are heavier than distant ignition sources a lights and other sources Flashpoint Autoignition temperature - Recommendations for Do not eat, drink or smol measures, see section 8 - Recommendations for # It is not considered a d CONDITIONS FOR SA Forbid the entry to unaut sources. Do not smoke in should be closed careful - Class of store: According to current legis - Maximum storage pe 12 Months. - Temperature interval: min:5 °C, max:40 °C (rec - Incompatible materiaa # Keep away from oxidiz - Type of packaging: According to current legis - Limit quantity (Seves)	SAFE HANDLING: legislation on health and safety a ations: purces of ignition and away from her tightly closed. or the prevention of fire and ex- h air, may spread along floors to a and flame up or explode.Due to it of ignition have been excluded a : or the prevention of toxicologic. ke while handling.After handling, or the prevention of environme- langer to the environment. In the AFE STORAGE, INCLUDING, thorized persons. Keep out of real n storage area. If possible, avoid ly and placed in a vertical position slation. riod: : : : : : : : : : : : : :	heat or electrical sources.Do not smoke. plosion risks: a considerable distance, can form explos s flammability, this material should only b nd away from other heat or electrical sou 100* °C (Pensky-Martens) Not applicable (do not sustain al risks: wash hands with soap and water. For ex <u>ntal contamination:</u> case of accidental spillage, follow the ins <u>ANY INCOMPATIBILITIES:</u> ich of children. This product should be st direct contact with sunlight. In order to a	sive mixtures with air and are able to reach be used in areas from which all naked urces.Do not smoke. CLP 2.6.4.3. In combustion). Aposure controls and personal protection structions indicated in section 6.
7.1	PRECAUTIONS FOR Comply with the existing - General recommenda Use in areas free from sc escape. Keep the contain - Recommendations for Vapours are heavier than distant ignition sources a lights and other sources Flashpoint Autoignition temperature - Recommendations for Do not eat, drink or smol measures, see section 8 - Recommendations for # It is not considered a d CONDITIONS FOR SA Forbid the entry to unaut sources. Do not smoke in should be closed careful - Class of store: According to current legis - Maximum storage pe 12 Months. - Temperature interval: min:5 °C, max:40 °C (ref - Incompatible materiaa # Keep away from oxidiz - Type of packaging: According to current legis	SAFE HANDLING: legislation on health and safety a ations: ources of ignition and away from her tightly closed. or the prevention of fire and ex- h air, may spread along floors to a and flame up or explode.Due to it of ignition have been excluded a : or the prevention of toxicologic. ke while handling.After handling, or the prevention of environmer langer to the environment. In the AFE STORAGE, INCLUDING and thorized persons. Keep out of real n storage area. If possible, avoid ly and placed in a vertical position slation. riod: commended). ls: ing agents, acids, alkalis. slation. o III): Directive 2012/18/EU: for non industrial use).	heat or electrical sources.Do not smoke. plosion risks: a considerable distance, can form explos s flammability, this material should only b nd away from other heat or electrical sou 100* °C (Pensky-Martens) Not applicable (do not sustain al risks: wash hands with soap and water. For ex <u>ntal contamination:</u> case of accidental spillage, follow the ins <u>ANY INCOMPATIBILITIES:</u> ich of children. This product should be st direct contact with sunlight. In order to a	sive mixtures with air and are able to reach be used in areas from which all naked urces.Do not smoke. CLP 2.6.4.3. In combustion). Aposure controls and personal protection structions indicated in section 6.

Instrum Detect 2014 Version: 17 Revision: 10022023 Previou review: 60010203 Date of pretty: 100 SCIONS E-SCORES CONTENDESSEESMAL PROTECTION SCIONTED-1000000000000000000000000000000000000		isaval	OI ESENCIA TINTE OCRE						
COUNT CONTROL PARAMETERS: Description 1 CONTROL PARAMETERS: CONTROL PARAMETERS: 1 CONTROL PARAMETERS: Prevention 1 Prevention Prevention 1 Control ParaMeter Parameters Prevention 1 Control ParaMeter Parameters Prev		pinturas							
IDENTIFIED PARAMETERS: Image of the second of the product of the produc					vious revis	ion: 05/01/2023		Date of printil	ng: 10/02/20
If a product contains improvidents with exposure limits, may be necessary to apersonal monitoring, work place or biological, bediermined effectiveness of the ventilation or other control measures and/or the necessity to apersonal exposure by inhalation to chemical agents, and exposure to be inhalated inbidical agents. Reference should be also made to national guidance documents for methods for the determination of dangerous substances. -OCCLIPATIONAL EXPCOURE LIMIT_VALUES (WEL) Not established -DERIVED NO-EFFECT LEVEL (DNEL): Derived no-effect level (NEL) is a level of exposure that is considered safe, derived from toxicity data according to specific guidances included in REACH, DME: Values may differ from a occupational exposure init (DEL) for the same chemical: DEL values may come recommende by a particular company, a government regulatory values or an organization of experts. Although considered potective recommendes by a particular company, a government regulatory values or an organization of experts. Although considered potective recommendes by a particular company, a government regulatory value. -DERIVED NO-EFFECT LEVEL, WORKERS: Implicit values may differ both accumplication of the same chemical. DELIVED NO-effect LEVEL, WORKERS: System effects, acute and chonic: Implicit values may differ both accumplication of the same chemical. DELIVED NO-effect LEVEL, WORKERS: System effects, acute and chonic: Reaction mass of 5-chono-2-methyl 2H-isothazol-3-one [EC 220-236-6] (31) - (a) <				ΓΙΟΝ					
Incommended by a particular company, a government regulatory agency or an organization of experts. Although considered protective health, the CLL values are derived by a process different of REACH. DERIVED NC EFFECT LEVEL_WORKERS:- Systemic effects, acute and chronic: DMEL_initiation mg/m3 DMEL_initiation mg/m3 <th>eff ma ex de <u>- C</u> No - E No - E De</th> <th>ectiveness of the ven ade to EN689, EN140 posure to chemical ar termination of danger <u>OCCUPATIONAL E2</u> ot established <u>BIOLOGICAL LIMIT</u> ot established <u>DERIVED NO-EFFE</u> erived no-effect level (</th> <th>tilation or other control meas 42 and EN482 standard con nd biological agents. Referer ous substances. <u>XPOSURE LIMIT VALUES</u> <u>VALUES:</u> <u>CT LEVEL (DNEL):</u> DNEL) is a level of exposure</th> <th>sures and/or the nec cerning methods fo nec should be also r <u>S (WEL)</u> e that is considered</th> <th>essity to r assesing nade to n safe, deri</th> <th>use respiratory pro g the exposure by ational guidance of ved from toxicity of</th> <th>otective equinhalation t documents</th> <th>uipment. Reference to chemical agent for methods for th ing to specific gui</th> <th>ce should l s, and e dances</th>	eff ma ex de <u>- C</u> No - E No - E De	ectiveness of the ven ade to EN689, EN140 posure to chemical ar termination of danger <u>OCCUPATIONAL E2</u> ot established <u>BIOLOGICAL LIMIT</u> ot established <u>DERIVED NO-EFFE</u> erived no-effect level (tilation or other control meas 42 and EN482 standard con nd biological agents. Referer ous substances. <u>XPOSURE LIMIT VALUES</u> <u>VALUES:</u> <u>CT LEVEL (DNEL):</u> DNEL) is a level of exposure	sures and/or the nec cerning methods fo nec should be also r <u>S (WEL)</u> e that is considered	essity to r assesing nade to n safe, deri	use respiratory pro g the exposure by ational guidance of ved from toxicity of	otective equinhalation t documents	uipment. Reference to chemical agent for methods for th ing to specific gui	ce should l s, and e dances
DERVED NO-EFFECT LEVEL WORKERS: DNEL Chanadam DNEL Chanadam <thdne chanadam<="" th=""> DNEL Chanadam</thdne>	red	commended by a part	icular company, a governme	nt regulatory agenc					
Systemic effects, Roue and chronic: Image of the softward is the softw	- D	ERIVED NO-EFFECT L	EVEL, WORKERS:-	DNEL Inhalation					
[EC 220-238-6] (3:1) - (a) - (b) - (a) - (c) - (a) - (a) </td <td>Re</td> <td>action mass of 5-chloro</td> <td>-2-methyl-2H-isothiazolin-3-</td> <td></td> <td>- (c)</td> <td></td> <td>- (c)</td> <td></td> <td>- (c)</td>	Re	action mass of 5-chloro	-2-methyl-2H-isothiazolin-3-		- (c)		- (c)		- (c)
- DERIVED NO-EFFECT LEVEL, WORKERS: Local effects, acute and chronic: DNEL Evaluation mg/m3 DNEL Evaluation mg/m3 DNEL Evaluation mg/m3 Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) - (a) - (c) - (a) - (c) - (a)	[E0	C 220-239-6] (3:1)		- (a)	- (c)	- (a)	- (c)	- (a)	- (c)
Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [C 220-239-6] (3.1) - (a) - (c) - (a) - (c) - (a)	- D	ERIVED NO-EFFECT L		DNEL Inhalation mg/m3				DNEL Eyes mg/cm2	
1.2-benzisothiazol-3(2H)-one - (a) - (c) - (a) - (c) - (a) - (a) <th< td=""><td>Re</td><td>action mass of 5-chloro e [EC 247-500-7] and 2-</td><td></td><td>- (a)</td><td>- (c)</td><td>- (a)</td><td>- (c)</td><td>- (a)</td><td>- (c)</td></th<>	Re	action mass of 5-chloro e [EC 247-500-7] and 2-		- (a)	- (c)	- (a)	- (c)	- (a)	- (c)
POPULATION: - Systemic effects, acute and chronic: Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) - (a) - (c) - (a) - (c) - (a) - (a) <td>1,2</td> <td>2-benzisothiazol-3(2H)-o</td> <td></td> <td></td> <td>- (c)</td> <td></td> <td>- (c)</td> <td></td> <td>- (c)</td>	1,2	2-benzisothiazol-3(2H)-o			- (c)		- (c)		- (c)
one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) - (a) - (c) - (c) - (c) -								DNEL Eyes mg/kg bw/d	
- LOCAL EFFECTS, ACUTE AND CHRONIC:- Local effects, acute and chronic: Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 220-239-6] (3:1) DNEL Inhalation mg/m3 DNEL Cutaneous mg/cm2 DNEL Eyes mg/cm2 1, 2-benzisothiazol-3(2H)-one - (a) - (c) - (a) - (c) - (a)	on	e [EC 247-500-7] and 2-		- (a)	- (c)	- (a)	- (c)	- (a)	- (c)
effects, acute and chronic: mg/m3 mg/m3 mg/m2 mg/m2 effects, acute and chronic: Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3-one - (a) - (c) - (c) - (c) - (a) - (c) - (c) - (a) - (c) - (c) - (c) - (c) - (a) - (c)		()			- (c)		- (c)		- (c)
Reaction mass of 5-chloro-2-methyl-2H-isothiazoli-3-one [EC 220-2396] (3:1) - (a) - (c) - (a) - (c) - (a) - (a) - 1.2-benzisothiazol-3(2H)-one - (a) - (c) - (a) - (c) - (a) - (c) - (a) - (a) - Acute, short-term exposure, (c) - Chronic, long-term or repeated exposure. - (a) - (c) - (a) - (c) - (a) - (-) DNEL not available (without data of registration REACH). - PREDICTED NO-EFFECT CONCENTRATION (PNEC): - PREDICTED NO-EFFECT CONCENTRATION (PNEC): - - Reaction mass of 5-chloro-2-methyl-2H- isothiazoli-3-one [EC 220-239-6] (3:1) - 1,2-benzisothiazol-3(2H)-one - - WASTEWATER TREATMENT PLANTS (STP) PNEC STP Matter: mg/kg dw/d WATER: Reaction mass of 5-chloro-2-methyl-2H- isothiazolin-3-one [EC 220-239-6] (3:1) 1,2-benzisothiazol-3(2H)-one - - PREDICTED NO-EFFECT CONCENTRATION, [3:1) PNEC Air mg/kg dw/d 1,2-benzisothiazol-3(2H)-one - - PREDICTED NO-EFFECT CONCENTRATION, [3:1] PNEC S		,	E AND CHRONIC:- Local						
1,2-benzisothiazol-3(2H)-one - (a) - (c) - (a) <	Re	action mass of 5-chloro e [EC 247-500-7] and 2-		- (a)	- (c)	- (a)	- (C)	- (a)	– (c)
(-) - DNEL not available (without data of registration REACH). - PREDICTED NO-EFFECT CONCENTRATION (PNEC): - PREDICTED NO-EFFECT CONCENTRATION, AQUATIC ORGANISMS:- Fresh water, marine water and intermittent release: Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) 1,2-benzisothiazol-3(2H)-one - WASTEWATER TREATMENT PLANTS (STP) AND SEDIMENTS IN FRESH- AND MARINE WATER: Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) 1,2-benzisothiazol-3(2H)-one - WASTEWATER TREATMENT PLANTS (STP) AND SEDIMENTS IN FRESH- AND MARINE WATER: Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) 1,2-benzisothiazol-3(2H)-one - WASTEWATER TREATMENT PLANTS (STP) AND SEDIMENTS IN FRESH- AND MARINE WATER: Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) 1,2-benzisothiazol-3(2H)-one - Imethyl-2H-isothiazol-3(2H)-one - Imethyl-2H-isothiazol-3(2H)-one - PREDICTED NO-EFFECT CONCENTRATION, TERRESTRIAL ORGANISMS:- Air, soil and effects for predators and humans:			ne	- (a)	- (C)	- (a)	- (c)	- (a)	- (c)
-PREDICTED NO-EFFECT CONCENTRATION. AQUATIC ORGANISMS:- Fresh water, marine water and intermittent release: Reaction mass of 5-chloro-2-methyl-2H- isothiazolin-3-one [EC 247-500-7] and 2- methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) PNEC Marine mg/l PNEC Intermittent mg/l 1,2-benzisothiazol-3(2H)-one - - - -WASTEWATER TREATMENT PLANTS (STP) AND SEDIMENTS IN FRESH- AND MARINE WATER: Reaction mass of 5-chloro-2-methyl-2H- isothiazolin-3-one [EC 247-500-7] and 2- methyl-2H-isothiazol-3-one [EC 247-500-7] and 2- methyl-2H-isothiazol-3-one [EC 247-500-7] and 2- methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) PNEC STP mg/l PNEC Sediments mg/kg dw/d PNEC Sediments mg/kg dw/d 1,2-benzisothiazol-3(2H)-one - - - - PNEC Sediments mg/kg dw/d - - - PNEC Sediments mg/kg dw/d - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - <t< td=""><td>(-)</td><td>- DNEL not availab</td><td>le (without data of registra</td><td>tion REACH).</td><td>ted expo</td><td>sure.</td><td></td><td>-</td><td></td></t<>	(-)	- DNEL not availab	le (without data of registra	tion REACH).	ted expo	sure.		-	
AQUATIC ORGANISMS:- Fresh water, marine water and intermittent release: Reaction mass of 5-chloro-2-methyl-2H- isothiazolin-3-one [EC 247-500-7] and 2- methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) 1,2-benzisothiazol-3(2H)-onemg/lmg/l <t< td=""><td></td><td></td><td></td><td></td><td></td><td>DNEC Marina</td><td></td><td></td><td>+</td></t<>						DNEC Marina			+
Reaction mass of 5-chloro-2-methyl-2H- isothiazolin-3-one [EC 247-500-7] and 2- methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1)1,2-benzisothiazol-3(2H)-oneWASTEWATER TREATMENT PLANTS (STP) AND SEDIMENTS IN FRESH- AND MARINE WATER: Reaction mass of 5-chloro-2-methyl-2H- isothiazol-3-one [EC 247-500-7] and 2- methyl-2H-isothiazol-3-one [EC 247-500-7] and 2- methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) 1,2-benzisothiazol-3(2H)-onePNEC StP mg/lPNEC Sediments mg/kg dw/dPNEC Sediments mg/kg dw/d <td>AC</td> <td>QUATIC ORGANISMS</td> <td><u>S:- Fresh water, marine</u></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>L</td>	AC	QUATIC ORGANISMS	<u>S:- Fresh water, marine</u>						L
1,2-benzisothiazol-3(2H)-one - - -WASTEWATER TREATMENT PLANTS (STP) AND SEDIMENTS IN FRESH- AND MARINE WATER: PNEC STP mg/l PNEC Sediments mg/kg dw/d PNEC Sediments mg/kg dw/d Reaction mass of 5-chloro-2-methyl-2H- isothiazolin-3-one [EC 247-500-7] and 2- methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) - - - 1,2-benzisothiazol-3(2H)-one - - - - -PREDICTED NO-EFFECT CONCENTRATION, TERRESTRIAL ORGANISMS:- Air, soil and effects for predators and humans: PNEC Air mg/m3 PNEC Soil mg/kg dw/d PNEC Oral mg/kg dw/d	Re iso me	eaction mass of 5-cł othiazolin-3-one [EC ethyl-2H-isothiazol-3	nloro-2-methyl-2H- 247-500-7] and 2-		-		-		-
AND SEDIMENTS IN FRESH- AND MARINE WATER: mg/l mg/kg dw/d mg/kg dw/d Reaction mass of 5-chloro-2-methyl-2H- isothiazolin-3-one [EC 247-500-7] and 2- methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) - - - 1,2-benzisothiazol-3(2H)-one - - - - - PREDICTED NO-EFFECT CONCENTRATION. TERRESTRIAL ORGANISMS:- Air, soil and effects for predators and humans: PNEC Air mg/m3 PNEC Soil mg/kg dw/d PNEC Oral mg/kg dw/d	1 `	,	2H)-one		-		-		-
Reaction mass of 5-chloro-2-methyl-2H- isothiazolin-3-one [EC 247-500-7] and 2- methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1)1,2-benzisothiazol-3(2H)-one PREDICTED NO-EFFECT CONCENTRATION. TERRESTRIAL ORGANISMS:- Air, soil and effects for predators and humans:PNEC Air mg/m3PNEC Soil mg/kg dw/dPNEC Oral mg/kg dw/d	AN	ND SEDIMENTS IN F							
- PREDICTED NO-EFFECT CONCENTRATION, TERRESTRIAL ORGANISMS:- Air, soil and effects for predators and humans: PNEC Air mg/m3 PNEC Soil mg/kg dw/d PNEC Oral mg/kg dw/d	Re isc me (3	eaction mass of 5-cł othiazolin-3-one [EC ethyl-2H-isothiazol-3 :1)	247-500-7] and 2- 3-one [EC 220-239-6]		-		-		-
TERRESTRIAL ORGANISMS:- Air, soil and effects for predators and humans: mg/m3 mg/kg dw/d mg/kg dw/d		•	-		-		-		-
Reaction mass of 5-chloro-2-methyl-2H- - - isothiazolin-3-one [EC 247-500-7] and 2- - -	<u>TE</u> <u>eff</u> Re	ERRESTRIAL ORGAN fects for predators and eaction mass of 5-ch	<u>IISMS:- Air, soil and</u> <u>1 humans:</u> nloro-2-methyl-2H-				-		-

	SHEET (RE) equiation (EC) N	ACH) lo. 1907/2006 and Regulation	(EU) No. 2020/878			Page 5/12 (Language:EN)
		OI ESENCIA TINTE OCRE Code : 7014				(
sion: 17	Revis	sion: 10/02/2023	Previous revis	ion: 05/01/2023		Date of printing: 10/02/2023
	zisothiazol-3(2		-		-	-
		e (without data of registrat	ion REACH).			
	JRE CONTRO					
Т		by the	e adequate ventilation.Wh use of local exhaust venti			
	tion of respirate inhalation of va					
- Protect	tion of eyes an	d face:				
		tall water taps or sources wit	h clean water close to the w	orking area.		
	t <mark>ion of hands a</mark> mmended to ins	ind skin: tall water taps or sources wit	h clean water close to the w	/orking area.Barr	ier creams may h	elp to protect the
exposed	areas of the ski	n.Barrier creams should not	be applied once exposure h	as occurred.	·····, ·····, ·····,	
		OSURE CONTROLS: RE	· · · ·		sis personal prot	action aquinment (DDC)
with the o	corresponding n	n prevention and safety in the narking. For more informatio E, protection class, marking, E.	n on personal protective equ	uipment (storage	, use, cleaning, m	aintenance, type and
Mask:		# No, unless ventilation	n is insufficient.			
Safety g	joggles:		ed to protect against liquic nd disinfect at regular inte			
Face sh	ield:	No.				
Gloves:		expected, gloves of pro- min.When short contact should be used, with a material should be in a example, temperature) chemicals is clearly low circumstances and pos- taken into account.Use	st chemicals (EN374).Wh betection level 5 or higher s of with the product is exper- breakthrough time >30 m accordance with the preter by they do in practice the p wer than the established s asibilities, the instructions/ the proper technique of n act of the product with the n is noted.	should be used ected, use glove hin.The breakth nded period of use eriod of use of standard EN374 (specifications premoving glove	, with a breakthr es with a protecti rough time of the use.There are se a protective glov I.Due to the wide provided by the g s (without touch	ough time of >240 on level 2 or higher e selected glove everal factors (for ves resistant against e variety of glove supplier should be ing glove's outer
Boots:		No.				
Apron:		No.				
Clothing	1.	# No.				
	<u>al hazards:</u>					
		uct is handled at room tempe <u> KPOSURE CONTROLS:</u>	rature).			
		environment. Avoid any rele	ase into the atmosphere.			
	on the soil:					
	contamination o	f soil.				
<u>- Spills i</u> Do not a		nto drains, sewers or water o	courses.			
Wate	er Managemer	<u>nt Act:</u>				
This proc 2000/60/ Terbutryr	EC~2013/39/El	e following substances includ J:	led in the list of priority subs	tances in the fiel	d of water policy ເ	under Directive
- Emissi	<u>ons to the atm</u>					
Because	of volatility, em	issions to the atmosphere wh	nile handling and use may re	esult. Avoid any r	elease into the at	mosphere.

Г

\prec	isaval	OI ESENCIA TINTE OCRE Code : 7014		
Version:	17 Revis	sion: 10/02/2023	Previous revision: 05/01/2023	Date of printing: 10/02/2023
	9: PHYSICAL AND CHE			
		ASIC PHYSICAL AND CHEMICA	<u>AL PROPERTIES:</u>	
	<u>Appearance</u> Physical state:		Liquid	
	Physical state: Colour:		Liquid Colourless	
	Odour:		Characteristic	
	Odour threshold:		Not available (mixture).	
	Change of state			
	Melting point:		Not available (mixture).	
	Initial boiling point:		> 100 °C at 760 mmHg	
	 Flammability: 			
	Flashpoint		100* °C (Pensky-Martens)	CLP 2.6.4.3.
	Lower/upper flammabilit		Not available	
	Autoignition temperature	9:	Not applicable (do not sustain combu	stion).
	<u>Stability</u>	h	100 00* 90	
1	Decomposition temperat	lure:	160,00* °C	
	<u>pH-value</u> pH:		8 at 20°C	
	- Viscosity:		8 at 20 C	
	Dynamic viscosity:		40 Poise at 20°C	
	Kinematic viscosity:		707,49* mm2/s at 40°C	
	- Solubility(ies):			
	Solubility in water		Inmiscible	
	Liposolubility:		Not applicable (inorganic product).	
	Partition coefficient: n-oc	ctanol/water:	Not applicable (mixture).	
	<u>- Volatility:</u>			
	Evaporation rate:		Not available (lack of data).	
	<u>Density</u>			
	Relative density:		1,938* at 20/4°C	Relative water
	Relative vapour density:		Not available.	
1 -	Particle characteristics Particle size:	2	Netappliable	
1.	 Explosive properties 		Not applicable.	
			o flame up or explode in presence of an ignitic	
	 Oxidizing properties 		o name up of explode in presence of an ignitic	in source.
	Not classified as oxidizir			
	*Estimated values based OTHER INFORMATIC	d on the substances composing the	mixture.	
-		physical hazard classes		
	No additional information	· · · ·		
	Other security features			
	VOC (supply):	<u></u>	0,1 % Weight	
	VOC (supply):		2,6 g/l	
	Nonvolatile:		66,42 * % Weight	1h. 60°C
1	The values indicated do corresponding technical environment, see sectio	data sheet. For additional information	ecifications. The data for the product specifica on concerning physical and chemical propertie	tions can be found in the s related to safety and

R	isaval	OI ESENCIA TINTE OCR Code : 7014	E			
Version	n: 17 Revi	sion: 10/02/2023	Prev	ous revision: 05/01/202	3	Date of printing: 10/02/2023
SECTION	N 10: STABILITY AND RE	ACTIVITY				
10.1	REACTIVITY:					
	- Corrosivity to metals					
	It is not corrosive to met					
	It is not pyrophoric.	<u>ues.</u>				
10.2	CHEMICAL STABILIT					
10.2		nded storage and handling ZARDOUS REACTIONS				
10.3		eaction with oxidizing agent				
10.4	CONDITIONS TO AV					
	<u>- Heat:</u>					
	# Keep away from heat.					
	If possible, avoid direct of	contact with sunlight.				
	<u>- Air:</u>	-				
		ted by exposure to air, but	should not be left the o	ontainers open.		
	- Pressure: Not relevant.					
	- Shock:					
		itive to shocks, but as a rec				
10.5	dents and breakage of p	backaging, especially when	n the product is nangle	d in large quantities,	and during loading	and download operations.
10.5		zing agents, acids, alkalis.				
10.6	HAZARDOUS DECO	MPOSITION PRODUCT				
	As consequence of them halogenated compounds	mal decomposition, hazard	lous products may be	produced: nitrogen o	xides, sulfur oxides,	hydrochloric acid,
SECTION	N 11: TOXICOLOGICAL I					
0201.0		ological data on the prep	aration is available.	The toxicological cl	assification for the	se mixture has been
	carried out by using th	ne conventional calculation	on method of the Reg	ulation (EU) No. 1	272/2008~2021/84	
11.1		HAZARD CLASSES AS I	DEFINED IN REGUL	ATION (EC) NO 12	<u>272/2008 :</u>	
	ACUTE TOXICITY: Dose and lethal conce	ntratione	DL50 (OE		0L50 (OECD402)	CL50 (OECD403)
	for individual ingredier		[°] n	,	g bw Cutaneous	mg/m3·4h Inhalation
	Reaction mass of 5-ch	nloro-2-methyl-2H-		74,9 Rat	140 Rat	> 1230 Rat
	isothiazolin-3-one [EC methyl-2H-isothiazol-3					
	(3:1))-OHE [EG 220-233-0]				
	1,2-benzisothiazol-3(2	2H)-one	· · ·	020 Rat	> 2000 Rat	> 2050 Rat
	Estimates of acute tox			ATE	ATE	ATE
	for individual ingredier		mg/kg	•	g bw Cutaneous	mg/m3·4h Inhalation *> 50
	Reaction mass of 5-ch isothiazolin-3-one [EC			74,9	140	*> 50
	methyl-2H-isothiazol-3					
	(3:1) 1.2 honzioathiazal 2/2	N IX		*=07		
	1,2-benzisothiazol-3(2	'H)-one acute toxicity corresponding	to the classification o	*567 ategory (see GHS/CI		- ee values are designed to
	be used in the calculation	on of the ATE for classificat	ion of a mixture based	on its components a	nd do not represent	test results.
	(-) - The components that are ignored.	at are assumed to have no	acute toxicity at the up	per threshold of cate	egory 4 for the corre	sponding exposure route
	- No observed adverse	<u>e effect level</u>				
	Not available					
	- Lowest observed adv	verse effect level				
	Not available					
		IKELY ROUTES OF EXP				
	Routes of exposure	Acute toxicity			cts, acute and/or del	,
	Inhalation: Not classified	ATE > 20000	mg/m3		ified as a product wi (based on available	
				classificat	tion criteria are not r	
	Skin: Not classified	ATE > 5000 r	ng/kg bw -	classificat Not class	ified as a product wi	net). th acute toxicity GHS/CLP n available data, 3.1.3.6.

Revision: 10/02/2023



Version: 17

OI ESENCIA TINTE OCRE Code : 7014

Previous revision: 05/01/2023

Date of printing: 10/02/2023

Eyes: Not classified	Not available.	Not classified as a product with acute toxicity by eye contact (lack of data).	GHS/CLP 1.2.5.
Ingestion: Not classified	ATE > 5000 mg/kg bw	Not classified as a product with acute toxicity if swallowed (based on available data, the classification criteria are not met).	GHS/CLP 3.1.3.6.

GHS/CLP 3.1.3.6: Classification of mixtures based on ingredients of the mixture (additivity formula).

CORROSION / IRRITATION / SENSITISATION :

Danger class	Target organs	Cat.	Main effects, acute and/or delayed	Criteria
- Respiratory corrosion/irritation: Not classified	-	-	Not classified as a product corrosive or irritant by inhalation (based on available data the classification criteria are not met).	GHS/CLP 1.2.6. 3.8.3.4.
- Skin corrosion/irritation: Not classified	-	-	Not classified as a product corrosive or irritant in contact with skin (based on available data, the classification criteria are not met).	GHS/CLP 3.2.3.3.
- Serious eye damage/irritation: Not classified	-	-	Not classified as a product corrosive or irritant in contact with eyes (based on available data, the classification criteria are not met).	GHS/CLP 3.3.3.3.
 Respiratory sensitisation: Not classified 	-	-	Not classified as a product sensitising by inhalation (based on available data, the classification criteria are not met).	GHS/CLP 3.4.3.3.
- Skin sensitisation: Not classified	-	-	Not classified as a product sensitising by skin contact (based on available data, the classification criteria are not met).	GHS/CLP 3.4.3.3.

GHS/CLP 3.2.3.3: Classification of the mixture when data are available for all components or only for some components. GHS/CLP 3.3.3.3: Classification of the mixture when data are available for all components or only for some components. GHS/CLP 3.4.3.3: Classification of the mixture when data are available for all components or only for some components. GHS/CLP 3.8.3.4: Classification of the mixture when data are available for all components or only for some components. GHS/CLP 3.8.3.4: Classification of the mixture when data are available for all components or only for some components.

- ASPIRATION HAZARD:

Danger class	Target organs	Cat.	Main effects, acute and/or delayed	Criteria
- Aspiration hazard:	-	-	Not classified as a product hazardous by	GHS/CLP
Not classified			aspiration (based on available data, the classification criteria are not met).	3.10.3.3.

GHS/CLP 3.10.3.3: Classification of the mixture when data are available for all components or only for some components.

SPECIFIC TARGET ORGANS TOXICITY (STOT): Single exposure (SE) and/or Repeated exposure (RE): Not classified as a dangerous product for target organs.

GHS/CLP 3.8.3.4: Classification of the mixture when data are available for all components or only for some components.

CMR EFFECTS:

- Carcinogenic effects:

It is not considered as a carcinogenic product.

- Genotoxicity:

It is not considered as a mutagenic product.

- Toxicity for reproduction:

Does not harm fertility.Does not harm the unborn child.

- Effects via lactation:

Not classified as a hazardous product for children breast-fed.

DELAYED AND IMMEDIATE EFFECTS AS WELL AS CHRONIC EFFECTS FROM SHORT AND LONG-TERM EXPOSURE: Routes of exposure

May be absorbed by inhalation of vapour, through the skin and by ingestion.

- Short-term exposure:

Exposure to solvent vapour concentrations in excess of the stated occupational exposure limit, may result in adverse health effects, such as mucous membrane and respiratory system irritation and adverse effects on kidneys, liver and central nervous system.Liquid splashes in the eyes may cause irritation and reversible damage.If swallowed, may cause irritation of the throat; other effects may be the same as described in the exposure to vapours.

Long-term or repeated exposure:

Repeated or prolonged contact may cause removal of natural fat from the skin, resulting in non-allergic contact dermatitis and absorption through the skin.

in accorde			10. 1001/2000 a	na rtogala				(Language.LN)
R	isa	Val	OI ESENCIA Code : 7014	TINTE OC	RE			
Version	n: 17	Revi	sion: 10/02/20)23	Previous revisio	on: 05/01/2023	Da	ate of printing: 10/02/2023
	Not availa <u>INFORM</u> - Derma Not availa	IATION ABOU I absorption: able. coxicokinetics	JT TOXICOCII	NETICS.	METABOLISM AND DISTRIB	UTION:		
	ADDITIC Not availa	NAL INFORM	MATION:					
11.2 SECTION	Endocrin This prod weight:Te <u>Other inf</u> No additio	e disrupting p uct contains su	ubstances with e libromo-2-cyanc n available.	endocrine	disrupting properties identified or e (DBNPA).	r under evaluat	tion in a concentratior	n of less than 0.1% by
	mixture ł (CLP).	nas been carr			preparation as such is availab oventional calculation method			
12.1			atic environmei	nt	CL50 (OECD 203) mg/l·96hours	CE5	0 (OECD 202) mg/l·48hours	CE50 (OECD 201) mg/l·72hours
	Reaction isothiazo	mass of 5-ch lin-3-one [EC	loro-2-methyl- 247-500-7] ar 3-one [EC 220-	nd 2-	0.19 - Fishes	. 0.	16 - Daphniae	0.037 - Algae
		isothiazol-3(2	H)-one		1.2 - Fishes	0.	85 - Daphniae	0.37 - Algae
	- No obse	erved effect c	oncentration		NOEC (OECD 210) mg/l · 28 days	NOE	C (OECD 211) mg/l · 21 days	NOEC (OECD 201) mg/l · 72 hours
	isothiazo	lin-3-one [EC	nloro-2-methyl- 247-500-7] ar 3-one [EC 220-	nd 2-	0.02 - Fishes	0.0	11 - Daphniae	0.004 - Algae
	Not availa	able MENT OF AG	ect concentrati QUATIC TOXII Ca	<u>CITY:</u>	ain hazards to the aquatic enviro	onment		Criteria
	- Acute a	aquatic toxicity	: -		ot classified as a hazardous proc based on available data, the class			GHS/CLP 4.1.3.5.5.3.
		c aquatic toxic	ity: -	N W	ot classified as a dangerous proc ith long lasting effects (based on re not met).	duct with chron	ic toxicity to aquatic li	fe GHS/CLP
					ute hazards, based on summatio ronic (long term) hazards, based			ents.
12.2	<u>- Biodeg</u> Not availa	r <u>adability:</u> able.	DEGRADABIL	<u>.ITY:</u>		J		Dia da una da bilida d
	for indivi	biodegradatio		211	COD mgO2/g		%DBO/DQO 14 days 28 days	Biodegradabilidad
	isothiazo	lin-3-one [EC	247-500-7] ar 3-one [EC 220-	nd 2-			55	Not easy
		isothiazol-3(2 degradability d	,	to an ave	rage of data from various bibliogr	raphic sources	<u> </u>	Not easy
	<u>- Hydroly</u> Not availa	<u>/sis:</u>	·					

	OI ESENCIA TINTE OCRE Code : 7014			
/ersio	n: 17 Revision: 10/02/2023	Previous revision: 05	/01/2023 Da	te of printing: 10/02/202
	Not available.			
12.3	BIOACCUMULATIVE POTENTIAL:			
	Not available.		2.0.7	
	Bioaccumulation for individual ingredients	logPow	BCF L/kg	Potenti
	Reaction mass of 5-chloro-2-methyl-2H-	0.75	3.2 (calculated)	Unlikely, Ic
	isothiazolin-3-one [EC 247-500-7] and 2-			
	methyl-2H-isothiazol-3-one [EC 220-239-6]			
	(3:1) 1,2-benzisothiazol-3(2H)-one	0.64	3.2 (calculated)	Unlikely, Ic
12.4	MOBILITY IN SOIL:	0.04		
12.4	Not available			
	Mobility	log Poc	Constant of Henry	Potenti
	for individual ingredients	0.45	Pa⋅m3/mol 20ºC	
	Reaction mass of 5-chloro-2-methyl-2H- isothiazolin-3-one [EC 247-500-7] and 2-	0,45		Unlikely, lo
	methyl-2H-isothiazol-3-one [EC 220-239-6]			
		1.05		
40.5	1,2-benzisothiazol-3(2H)-one RESULTS OF PBT AND VPVB ASSESMENT:(An	1,05	1007/2006()	Unlikely, lo
12.5	Does not contain substances that fulfil the PBT/vPvB c	• • • •	<u>. 1907/2006.)</u>	
12.6	ENDOCRINE DISRUPTING PROPERTIES:			
	This product contains substances with endocrine disru	oting properties identified or und	er evaluation in a concentration	of less than 0.1% b
	weight: Terbutryne, 2,2-dibromo-2-cyanoacetamide (DB	NPA).		
12.7	OTHER ADVERSE EFFECTS:			
	- Ozone depletion potential: Not available.			
	- Photochemical ozone creation potential:			
	Not available.			
	- Earth global warming potential:			
FOTIO				
	N 13: DISPOSAL CONSIDERATIONS WASTE TREATMENT METHODS:Directive 2008/	08/EC~Pogulation (ELI) po_1	357/2014.	
13.1	Take all necessary measures to prevent the production			aluation or recycling
	Do not discharge into drains or the environment, dispos	se at an authorised waste collec	ion point. Waste should be har	dled and disposed in
	accordance with current local and national regulations.			section 8.
		2015/720/EU, Decision 2000/	<u>532/EC~2014/955/EU:</u>	
	Disposal of empty containers:Directive 94/62/EC~2		al and national regulations The	classification of
	Emptied containers and packaging should be disposed packaging as hazardous waste will depend on the degr	in accordance with currently loc ee of empting of the same, bein	g the holder of the residue resp	onsible for their
	Emptied containers and packaging should be disposed packaging as hazardous waste will depend on the degr classification, in accordance with Chapter 15 01 of Dec	in accordance with currently loc ee of empting of the same, bein ision 2000/532/EC, and forward	g the holder of the residue resp ng to the appropriate final dest	onsible for their
	Emptied containers and packaging should be disposed packaging as hazardous waste will depend on the degr	in accordance with currently loc ree of empting of the same, bein ision 2000/532/EC, and forward ne measures as for the product i	g the holder of the residue resp ng to the appropriate final dest	onsible for their

KIS	aval	OI ESENCIA TINTE OCRE Code : 7014		
ersion: 17	Revi	sion: 10/02/2023	Previous revision: 05/01/2023	Date of printing: 10/02/20
ECTION 14: TRA				
	MBER OR ID I	NUMBER:		
Not appl				
	<u> DPER SHIPPI</u>	NG NAME:		
Not appl				
		RD CLASS(ES):		
	ort by road (AE			
No regla	ort by rail (RID	<u>7 202 T):</u>		
	ort by sea (IMI	C 30-18).		
No regla		<u>JO 33-10j.</u>		
		<u>D/IATA 2021):</u>		
No regla		<u></u>		
		aterways (ADN):		
No regla	mented			
4.4 PACKIN	<u>IG GROUP:</u>			
No regla				
	ONMENTAL H			
		assified as hazardous for the env	ironment).	
		ONS FOR USER:		
			to do in case of accident or spill. Always transpor	t in closed containers that are
		ure adequate ventilation. DRT IN BULK ACCORDING T		
4.7 MARITI Not appl		JKT IN BULK ACCORDING T	<u>O IMO INSTRUMENTS.</u>	
CTION 15: REG				
			LATIONS/LEGISLATION SPECIFIC FOR TH	
Not appl Child sa Not appl OTHER Control See sect Other Ic	fety protection icable (the clas <u>REGULATIO</u> of the risks inl ion 7.2 ical legislation	sification criteria are not met). <u>n:</u> sification criteria are not met). <u>NS:</u> <u>nerent in major accidents (Sev</u> <u>S:</u>		
			l regulations applicable to the chemical.	
		ASSESSMENT: ssment has not been carried out	For this units we	

SAFETY DATA SHEET (REACH) n accordance with Regulation (EC) No. 1907/2006 and Regulation (EU) No. 2020/878			Page 12/12 (Language:EN)	
	OI ESENCIA TINTE OCRE Code : 7014			
Version: 17 Rev	vision: 10/02/2023	Previous revision: 05/01/2023	Date of printing: 10/02/2023	
SECTION 16 : OTHER INFORMA	ATION			
16.1 TEXT OF THE PHRA	ASES AND NOTES REFEREN	ICED IN SECTIONS 2 AND/OR 3:		
H301 Toxic if swallowe H315 Causes skin irrita toxic to aquatic life. H4	d. H302 Harmful if swallowed. H3 ation. H317 May cause an allergio 10 Very toxic to aquatic life with I	ong lasting effects. EUH071 Corrosive to	es severe skin burns and eye damage. damage. H330 Fatal if inhaled. H400 Very the respiratory tract.	
Note B : Some substar these solutions require have a general designa solution on the label. U <u>EVALUATION OF TH</u> See sections 9.1, 11.1 <u>OBSERVATIONS:</u>	nces (acids, bases, etc.) are place different classification and labelli ation of the following type: 'nitric a Inless otherwise stated, it is assu <u>HE INFORMATION ON THE D</u> and 12.1.		various concentrations and, therefore, icentrations. In Part 3 entries with Note B state the percentage concentration of the calculated on a weight/weight basis.	
Reg.CLP;OECD 429LL ADVICES ON ANY T It is recommended for	NA(mouse)-non-skin sensitizing- RAINING APPROPRIATE FO all staff that will handle this produ			
MAIN LITERATURE · European Chemicals · Access to European U · Industrial Solvents Ha	REFERENCES AND SOURC Agency: ECHA, http://echa.europ Jnion Law, http://eur-lex.europa.e andbook, lbert Mellan (Noyes Dat	ES FOR DATA: ba.eu/ bu/		
ABBREVIATIONS AI	ND ACRONYMS: nd acronyms that can be used (bu	including Amendment 39-18 (IMO, 2018). ut not necessarily used) in this Safety Data	a Sheet:	
· GHS: Globally Harmo · CLP: European regul · EINECS: European Ir	onized System of Classification ar		ations.	
CAS: Chemical Abstr UVCB: Substances o SVHC: Substances o	acts Service (Division of the Ame f Unknown or Variable composition	rican Chemical Society). on, complex reaction products or biologica	I materials.	
VOC: Volatile Organio DNEL: Derived No-Et		inces.		
 LC50: Lethal concent LD50: Lethal dose, 50 UN: United Nations C ADR: European agree 	0 percent. Organisation.	al carriage of dangeous goods by road.		
· RID: Regulations con · IMDG: International M · IATA: International Air	cerning the international transpor Maritime code for Dangerous Goo r Transport Association. ivil Aviation Organization.	t of dangeous goods by rail.		
Safety Data Sheet in a HISTORIC: Version: 15 Version: 16	ccordance with Article 31 of Regu REVISION: 08/04/2020 05/01/2023	ulation (EC) No. 1907/2006 (REACH) and	Annex of Regulation (EU) No. 2020/878.	
	10/02/2023 <u>ous Safety Data Sheet:</u> , numerical, methodological and r	normative changes since the previous ver	sion of the present Safety Data Sheet are	
The information of this Safety Dat conditionsare beyond our knowled handling instruction. It is always th	dge and control. The product is n he responsibility of the user to tal Safety Data Sheet is meant as a	state of knowledge and on current UE an ot to be used for other purposes than thos (e all necessary steps in order to fulfil the description of the safety requirements of	se specified, without first obtaining written demand laid down in the local rules and	