# SAFETY DATA SHEET

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II - Spain



# 1. Identification of the substance/preparation and of the company/undertaking

Identification of the substance or preparation

Product name or Trade name :

Antisol B

**Use of the substance/preparation** : Chemical product for construction and industry

### Company/undertaking identification

Manufacturer/Distributor	:	Sika S.A. Carretera de Fuencarral, 72 Pol Ind 28108 Alcobendas (Madrid) España
Telephone no.	:	91 662 18 18
Fax no.	:	91 662 19 38
e-mail address of person responsible for this SDS	:	EHS@es.sika.com
Emergency telephone number	:	91 662 18 18
		Durante el horario normal de trabajo

## 2. Hazards identification

The preparation is classified as dangerous according to Directive 1999/45/EC and its amendments.

Classification	:	R66, R67 N; R51/53
Human health hazards	:	Repeated exposure may cause skin dryness or cracking. Vapors may cause drowsiness and dizziness.
Environmental hazards	:	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

See section 11 for more detailed information on health effects and symptoms.

## 3. Composition/information on ingredients

Chemical family/ Characteristics : Wax emulsion

Ingredient name	CAS number	%	EC number	Classification	
solvent naphtha (petroleum), heavy arom.	64742-94-5	50-75	265-198-5	Xn; R65 R66, R67 N; R51/53	[1]
See section 16 for the full text of the R- phrases declared above					

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

Occupational exposure limits, if available, are listed in section 8.

## 4. First aid measures

First aid measures	
Inhalation	: If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. Get medical attention if adverse health effects persist or are severe. Get medical attention if symptoms appear.
Ingestion	<ul> <li>Do not induce vomiting unless directed to do so by medical personnel. Maintain an open airway. Seek immediate medical attention.</li> </ul>
Skin contact	: Wash skin thoroughly with soap and water or use recognized skin cleanser. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Eye contact	<ul> <li>Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.</li> </ul>
Notes to physician	<ul> <li>No specific treatment. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.</li> </ul>
Son soction 11 for more d	atailed information on boalth offects and symptoms

See section 11 for more detailed information on health effects and symptoms.

## 5. Fire-fighting measures

: Use dry chemical, CO <sub>2</sub> , water spray (fog) or foam.
: Do not use water jet.
<ul> <li>Combustible liquid. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion.</li> </ul>
<ul> <li>Decomposition products may include the following materials: carbon oxides metal oxide/oxides</li> </ul>
<ul> <li>Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.</li> </ul>

## 6. Accidental release measures

Personal precautions	:	Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Put on appropriate personal protective equipment (see section 8).
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.
Large spill	:	Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Use spark-proof tools and explosion-proof equipment.
Small spill	:	Stop leak if without risk. Move containers from spill area. Absorb with an inert material and place in an appropriate waste disposal container. Use spark-proof tools and explosion-proof equipment.

# 7. Handling and storage

Handling	: Put on appropriate personal protective equipment (see section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Do not breathe vapor or mist. Avoid contact with eyes, skin and clothing. Avoid release to the environment. Refer to special instructions/safety data sheet. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Do not enter storage areas and confined spaces unless adequately ventilated. Keep in the original container or an approved alternative made from a
	smoking. Do not breathe vapor or mist. Avoid contact with eyes, skin and clothing. Avoid release to the environment. Refer to special instructions/safety data sheet. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Do not enter storage areas and confined spaces unless adequately

Date of issue : 13.06.2007. MSDS no. : 209549

# 7. Handling and storage

	-
	compatible material, kept tightly closed when not in use. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Use non-sparking tools. Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by grounding and bonding containers and equipment before transferring material. Empty containers retain product residue and can be hazardous.
Storage	: Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well- ventilated area, away from incompatible materials (see section 10) and food and drink. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.
Packaging materials Recommended	: Use original container.

# 8. Expose controls/personal protection

Exposure limit values						
Ingredient name		Occupational expo	sure limits			
No exposure limit value known.						
Recommended monitoring procedures	:	If this product contains ingredients with atmosphere or biological monitoring m of the ventilation or other control mea protective equipment. Reference sho methods for the assessment of expos national guidance documents for met substances.	nay be required sures and/or the uld be made to ure by inhalatior	to c ne Eur to	determine the effective ecessity to use respirato ropean Standard EN 68 o chemical agents and	ory
Occupational exposure controls	:	Use only with adequate ventilation. U or other engineering controls to keep below any recommended or statutory keep gas, vapor or dust concentration explosion-proof ventilation equipment	worker exposure limits. The engines below any low	e to inee	airborne contaminants ering controls also nee	6
Hygiene measures	:	Wash hands, forearms and face thore eating, smoking and using the lavator Appropriate techniques should be use Wash contaminated clothing before re	y and at the end ed to remove pot	of	the working period.	
Respiratory protection	:	Use a properly fitted, air-purifying or a standard if a risk assessment indicate be based on known or anticipated exp safe working limits of the selected res	s this is necessa posure levels, the	ary.	Respirator selection n	nust
Hand protection	:	Chemical-resistant, impervious gloves be worn at all times when handling ch this is necessary. Recommended: Bu	emical products	s if a	a risk assessment indic	
Eye protection	:	Safety eyewear complying with an app assessment indicates this is necessar gases or dusts.				
Skin protection	:	Personal protective equipment for the being performed and the risks involve handling this product. Recommended	d and should be	ар	proved by a specialist	
Environmental exposure controls	:	Emissions from ventilation or work pro they comply with the requirements of cases, fume scrubbers, filters or engine will be necessary to reduce emissions	environmental p neering modifica	rote itior	ection legislation. In so ns to the process equip	me
Date of issue	:	13.06.2007.	MSDS no.	:	209549	3/6

# 8. Expose controls/personal protection

## 9. Physical and chemical properties

## General information

## <u>Appearance</u>

Form	: Liquid.			
Color	: White.			
Important health, safety and environmental information				
Flash point	: Closed cup: >64°C (>147.2°F)			
Density	: ~0.99 g/cm <sup>3</sup> [20°C (68°F)]			

## 10. Stability and reactivity

Stability	<ul> <li>The product is stable. Under normal conditions of storage and use, hazardous polymerization will not occur.</li> </ul>
Conditions to avoid	: Avoid all possible sources of ignition (spark or flame). Do not pressurize, cut, weld, braze, solder, drill, grind or expose containers to heat or sources of ignition. Avoid release to the environment. Refer to special instructions/safety data sheet.
Materials to avoid	: Reactive or incompatible with the following materials: oxidizing materials
Hazardous decomposition products	<ul> <li>Under normal conditions of storage and use, hazardous decomposition products should not be produced.</li> </ul>

## 11. Toxicological information

### Potential acute health effects

Inhalation	: Vapors may cause drowsiness and dizziness.
Ingestion	: Can cause gastrointestinal disturbances.
Skin contact	: Defatting to the skin. May cause skin dryness and irritation.
Eye contact	: May cause eye irritation.
Chronic effects	<ul> <li>Prolonged or repeated contact can defat the skin and lead to irritation, cracking and/or dermatitis.</li> </ul>

## 12. Ecological information

Environmental effects

: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

## 13. Disposal considerations

Methods of disposal	: The generation of waste should be avoided or minimized wherever possible. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
Packaging	<ul> <li>Completely emptied packagings may be given for recycling. Empty packaging may still contain hazardous residues. Empty packaging should be removed by a licensed waste contractor.</li> </ul>

## 14. Transport information

## International transport regulations

ADR	
UN number	: UN3082
ADR Class	: 9
Classification code	
	: M6
Packing group	:
Proper shipping name	: Environmentally hazardous substance, liquid, n.o.s.
Label No.	: 9
<u>IMDG</u>	
UN number	: UN3082
IMDG Class	: 9
Packing group	: 10
Proper shipping name	: Environmentally hazardous substance, liquid, n.o.s.
Emergency schedules (EmS)	: F-A, S-F
Marine pollutant	: No.
Label no.	: 9
IATA	
UN number	: UN3082
IATA Class	: 9
Packing group	: III
Proper shipping name	: Environmentally hazardous substance, liquid, n.o.s.
Label no.	: 9

## 15. Regulatory information

## EU regulations

Classification and labeling have been determined according to EU Directives 67/548/EEC and 1999/45/EC (including amendments) and take into account the intended product use.

Hazard symbol or symbols	Ν	
	Dangerous for the environment	
Risk phrases	R66- Repeated exposure may cause skin dryness or cracking. R67- Vapors may cause drowsiness and dizziness. R51/53- Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.	е
VOC content (EU)	VOC (w/w): 0%	

# 16. Other information

Date of previous issue		No previous validation.	MSDS no. :	209549	5/6
Date of issue	-	13.06.2007.			
Date of printing	:	13.06.2007.			
3 <u>History</u>					
Full text of classifications referred to in sections 2 and		Xn - Harmful N - Dangerous for the environment			
Full text of classifications referred to in sections 2 and 3	:	R65- Harmful: may cause lung damag R66- Repeated exposure may cause s R67- Vapors may cause drowsiness a R51/53- Toxic to aquatic organisms, m aquatic environment.	skin dryness or cr nd dizziness.	·	

## 16. Other information

✓ Indicates information that has changed from previously issued version.

### Notice to reader

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the Technical Data Sheet prior to any use and processing.