Safety Data Sheet



Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II - Spain

1. **IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF** THE COMPANY/UNDERTAKING

Identification of the substance or preparation

Product name or Trade name :

Sika Seal 250 Migrating

Use of the substance/preparation : Chemical product for construction and industry

Company/undertaking identification

Manufacturer/Distributor	: Sika S.A. Carretera de Fuencarral, 72 Pol Ind 28108 Alcobendas (Madrid) España	
Telephone no.	: 91 662 18 18	
Fax no.	: 91 662 19 38	
e-mail address of person responsible for this SDS	: EHS@es.sika.com	
Emergency telephone number	: 91 662 18 18 Durante el horario normal de trabajo	

HAZARDS IDENTIFICATION 2.

999 45 E C The product is classified as dangerous according to Direction

Classification	: Xi; R41, R37/38 R43
Human health hazards	: Risk of serious damage to eyes. Irritating to respiratory system and skin. May cause sensitization by skin contact.
Additional hazards	: Handling and/or processing of this material may generate a dust which can cause mechanical irritation of the eyes, skin, nose and throat.

See section 11 for more detailed information on health effects and symptoms.

3. **COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical family/

: Mixture of cements, aggregates and additives

onennearianny	'
Characteristics	

Ingredient name	CAS number	%	EC number	Classification	
Quartz (SiO2) Cement tartaric acid sodium carbonate Cement	14808-60-7 65997-15-1 87-69-4 497-19-8 65997-15-1	35-50 25-35 5-10 1-5 1-5	238-878-4 266-043-4 201-766-0 207-838-8 266-043-4	Not classified. Xi; R41, R37/38 Xi; R36 Xi; R36 Xi; R41, R37/38 R43	[2] [1] [2] [1] [1] [1] [2]
See section 16 for the full text of the R- phrases declared above					

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

Occupational exposure limits, if available, are listed in section 8.

4. FIRST AID MEASURES

First aid measures	
Inhalation	: Get medical attention.
Ingestion	 Do not induce vomiting unless directed to do so by medical personnel. Maintain an open airway. Seek immediate medical attention.
Skin contact	: Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention if symptoms occur.
Eye contact	: Get medical attention immediately. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician.
Notes to physician	 No specific treatment. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

See section 11 for more detailed information on health effects and symptoms.

5. FIRE-FIGHTING MEASURES

Extinguishing media	
Suitable	: Use an extinguishing agent suitable for the surrounding fire.
Not suitable	: None known.
Special exposure hazards	: No specific fire or explosion hazard.
Hazardous combustion products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide metal oxide/oxides
Special protective equipment for fire-fighters	Fire-fighters should wear appropriate protective equipment and self-contained oreathing appratus (SCBA) with fact-piece operated in positive pressure mode.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions	: Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing dust. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see section 8).
Environmental precautions	: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Large spill	: Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Avoid creating dusty conditions and prevent wind dispersal.
Small spill	: Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container.

7. HANDLING AND STORAGE

Handling

: Put on appropriate personal protective equipment (see section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Do not get in eyes or on skin or clothing. Do not breathe dust. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous.

2/5

7. HANDLING AND STORAGE

Storage

: Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Packaging materials Recommended

: Use original container.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure limit values	
Ingredient name	Occupational exposure limits
Quartz (SiO2)	INSHT (Spain, 1/2008).
Cement	TWA: 0.1 mg/m ³ 8 hour(s). Form: respirable fraction INSHT (Spain, 1/2008).
Cement	TWA: 10 mg/m³ 8 hour(s). INSHT (Spain, 1/2008). TWA: 10 mg/m³ 8 hour(s).
Recommended monitoring procedures	: If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to European Standard EN 689 for methods for the assessment of exposure by inhalation to chemical agents and national guidance documents for methods for the determination of hazardous substances.
Exposure controls Occupational exposure controls	: Use only with a dequete relation. Tuser operations generate dust, fumes, gas, vapor or mist, use process enclosures, rocal exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing.
Respiratory protection	Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. particulate filter P P1: Inert material; P2: Xn; P3: T, T+ No special measures required.
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Recommended: Butyl rubber/nitrile rubber gloves.
Eye protection	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts.
Skin protection	: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Recommended: Use barrier skin cream.
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

3/5

9. PHYSICAL AND CHEMICAL PROPERTIES

General information

<u>Appearance</u>

products

Form	: Powder.
Color	: Gray.
Odor	: Odorless.
Important health, safety a	and environmental information
Density	: ~1.28 g/cm ³ [20°C (68°F)]

10. STABILITY AND REACTIVITY

Stability	: The product is stable.
Conditions to avoid	: No specific data.
Materials to avoid	: No specific data.
Hazardous decomposition	: Under normal conditions of storage and use, hazardou

tion : Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11. TOXICOLOGICAL INFORMATION

Potential acute health effects

Inhalation	: Irritating to respiratory system. May cause irritation.
Ingestion	: Irritating to mouth, throat and stomach.
Skin contact	: Irritating to skin. May cause sensitization by skin contact.
Eye contact	: Severely irritating to eyes. Risk of serious damage to eyes.
Chronic effects	Once sensized a sense iller ic eac on in y occur when subsequently exposed to very low levels.

12. ECOLOGICAL INFORMATION

- **Environmental effects**
- : Avoid contact of spilled material and runoff with soil and surface waterways. Do not empty into drains; dispose of this material and its container in a safe way.

13. DISPOSAL CONSIDERATIONS

Methods of disposal

 The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

 Packaging

 Completely emptied packagings may be given for recycling. Empty packaging may still contain hazardous residues. Empty packaging should be removed by a licensed

Date of issue

waste contractor.

14. TRANSPORT INFORMATION

International transport regulations

<u>adr</u>

Not regulated.

<u>IMDG</u>

Not regulated.

Marine pollutant : No.

<u>IATA</u>

Not regulated.

15. REGULATORY INFORMATION

EU regulations

Classification and labeling have been determined according to EU Directives 67/548/EEC and 1999/45/EC (including amendments) and take into account the intended product use.

Hazard symbol or symbols	: Xi
	Irritant
Contains	: Cement
Risk phrases	: R41- Risk of serious damage to eyes. R37/38- Irritating to respiratory system and skin. R43- May cause sensitization by skin contact.
Safety phrases	 S24- Avoid contact with skin. S26- In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S37/39- Wear suitable gloves and eye/face protection.
Remark VOC content (EU)	* J6/769/EC / AV47 VOC (w/w) Oraft only ***

16. OTHER INFORMATION

Full text of classifications referred to in sections 2 and 3	:	R41- Risk of serious damage to eyes. R36- Irritating to eyes. R37/38- Irritating to respiratory system and skin. R43- May cause sensitization by skin contact.
Full text of classifications referred to in sections 2 and 3	:	Xi - Irritant

Н	istory	

Date of printing	:	27.08.2009.	
Date of issue	:	***.	
Date of previous issue	:	No previous validation.	
Indicates information that has abanded from providually issued varian			

Indicates information that has changed from previously issued version.

Notice to reader

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the Technical Data Sheet prior to any use and processing.

Date of issue